



Moscow Exchange Fix protocol specifications for Derivatives market

version 1.20.0

Moscow 2024

Table of Contents

1. Introduction	6
1.1. Document purpose	6
1.2. General description	6
2. Description of fields and their values	7
2.1. Data types	7
2.2. Standard Header group	7
2.3. Standard Trailer group	8
2.4. Order Qty Data group	8
2.5. Parties group	8
2.6. Instrument group	9
2.7. Instrument Leg group	9
2.8. MiscFeesGrp* group	9
2.9. Display Instruction group	9
2.10. Other fields	10
3. Session layer protocol	14
3.1. Supported messages	14
3.1.1. Logon	14
3.1.2. Logout	14
3.1.3. Heartbeat	14
3.1.4. Test Request	14
3.1.5. Reject	15
3.1.6. Resend Request	15
3.1.7. Sequence Reset	15
3.2. Session establishing and termination scenarios	15
3.2.1. Session establishing and termination	15
3.2.2. Message resending request	16
3.2.3. Session status monitoring	16
3.2.4. Resetting message sequence	16
3.2.5. Session recovery after failure	17
4. Trading interaction	18
4.1. Supported messages	18
4.1.1. New Order Single	18
4.1.2. Order Cancel Request	19
4.1.3. Order Mass Cancel Request	20
4.1.4. Order Cancel/Replace Request	21
4.1.5. Order Status Request	22
4.1.6. Execution Report	22
4.1.7. Order Cancel Reject	24
4.1.8. Order Mass Cancel Report	24
4.2. Trading interaction scenarios	24
4.2.1. Adding order	24
4.2.2. Cancelling order	25
4.2.3. Order mass cancel	26
4.2.4. Request to NCC for collateral sufficiency verification of Brokerage Firm	26
4.2.5. Replacing	27
4.2.6. Order current status request	28
4.2.7. Relisting multi-days orders	28
4.2.8. Execution Reports broadcast for the DAY type orders	28
4.2.9. Managing iceberg orders	28
4.2.9.1. Adding iceberg order	29
4.2.9.2. Cancelling iceberg order	29
4.2.9.3. Replacing iceberg order	30
4.2.10. Checking of ClOrdID duplication	31
4.2.11. Adding BOC (Book-or-cancel) order	31
4.3. Abnormal activity control	31
4.4. Error processing	32
4.5. Automatic order cancellation option (Cancel On Disconnect)	32
5. Drop Copy service	34
5.1. Session layer	34
5.2. Trades broadcast	34
5.2.1. Common instruments trades	34
5.2.2. Multi-leg instruments trades	35
5.3. Translation of order reports and trades	36
5.3.1. Adding order	36
5.3.2. Deleting order	36
5.3.3. Moving order	37
5.3.4. Common instruments trades	38
5.3.5. Multi-leg instruments trades	39

History of changes

Date	Version	Changes
12.01.2024	1.20.0	<p>Changes applied:</p> <ul style="list-style-type: none"> In section '2.10. Other fields', description for 'ComplianceID (tag 376)' field was added. 'ComplianceID (tag 376)' field transmitted in 'New Order Single', 'Cancel/Replace Request' and 'Execution Report' messages.
06.10.2023	1.19.0	<p>Changes applied:</p> <ul style="list-style-type: none"> In section '2.10. Other fields', new value '0x80000000' (Negotiated order or trade matched by reference) was added for the 'Flags' (tag 20008) field.
18.01.2023	1.16.0	<p>Changes applied:</p> <ul style="list-style-type: none"> In section '2.10. Other fields', new value '0x2000' (Sign of canceling a passive cross-order) was added for the 'Flags' (tag 20008) field. A new field 'Flags2' (tag 20051) has been added to all 'Execution Report' messages.
11.10.2022	1.15.0	<p>Changes applied:</p> <ul style="list-style-type: none"> Section '4.2.11. Adding BOC (Book-or-cancel) orders' was added. In section '2.10. Other fields', new value 'z' (Book-or-cancel) was added for the 'TimeInForce' (tag 59) field. In section '2.10. Other fields', new values were added for the 'Flags' (tag 20008) field: <ul style="list-style-type: none"> 0x1000000000000000 - Book-or-cancel (Passive only) order. 0x4000000000000000 - Sign of an order/trade during the opening auction.
25.03.2021	1.11.0	<p>Changes applied:</p> <ul style="list-style-type: none"> Technical information like '\$XX\$' is no longer broadcast in the first four characters of the 'SecondaryClOrdID' field in the FIX gateway and in the FIX Drop Copy service. Now the user's comment specified when adding an order is broadcast without changes in the FIX protocol. In the '2.10. Other fields' section, description of the 'Flags' field was changed. The 'Flags' (tag 20008) field is now broadcast in the 'Execution Report' message for trades in the FIX gateway and in the all 'Execution Report' messages in the FIX Drop Copy service.
14.04.2020	1.9.0	<p>Changes applied:</p> <ul style="list-style-type: none"> Section '2.9. Display Instruction group' was added. Section '4.2.9. Iceberg orders management' was added. Section '4.2.10. Checking of ClOrdID duplication' was added. Field group 'DisplayInstruction' was added in the 'New Order Single' message. Message 'Execution Report' (section 4.1.6.): <ul style="list-style-type: none"> 'DisplayInstruction' field group was added; 'MDEntryID' field was added; 'EndCash' field was removed. 'EndCash' field was removed from 'Execution Report' messages with multi-leg instruments (section 5.2.2, section 5.3.5). 'FirstOrderID' field and 'DisplayInstruction' field group were added to 'Execution Report' message (section 5.3.1). 'Execution Report' messages (section 5.3.3) now contains 'OrigOrderID' field. 'MDEntryID' field was added to all 'Execution Report' messages for Iceberg orders.
09.08.2019	1.8.0	<p>Changes applied:</p> <ul style="list-style-type: none"> Messages 'Execution Report' (section 4.1.6) - fields 'Revision' (20018) and 'TransactTime' (60) are not transmitted when "Order was rejected".

Date	Version	Changes
		<ul style="list-style-type: none"> • Fields 'Revision' (20018) and 'TransactTime' (60) removed from messages 'Order Cancel Reject' (section 4.1.7), 'Order Mass Cancel Report' (section 4.1.8). • Messages 'New Order Single' (section 4.1.1), 'Order Mass Cancel Request' (section 4.1.3), 'Order Cancel/Replace Request' (section 4.1.4) and 'Execution Report' (section 4.1.6) now contain non-mandatory field 'ClOrdLinkID - External ID'. • Message 'Order Mass Cancel Request' (section 4.1.3) now contains non-mandatory field 'Flags - Whether to cancel orders on their negotiated sign'. • Sections '5.2.1. Common instruments trades', '5.2.2. Multi-leg instruments trades', '5.3.1. Adding order', '5.3.2. Deleting order', '5.3.3. Moving order', '5.3.4. Common instruments trades', '5.3.5. Multi-leg instruments trades': <ul style="list-style-type: none"> • now field 'ClOrdID' is non-mandatory. Now 'External ID' not broadcasted into this field; • type for field 'ClOrdLinkID' changed to Int32. • Section "2.9. Other fields" - new values for 'Flags' field: <ul style="list-style-type: none"> • 0x200000000000 – The active side in the trade. The order that led to the trade when added to the order-book. • 0x400000000000 – The passive side in the trade. The order from the order-book involved in the trade.
26.06.2019	1.7.1	Field group 'UndInstrmtGrp' removed from 'New Order Single' message. Section '2.9. UndInstrmtGrp group' deleted.
6.12.2018	1.7.0	<p>Changes applied:</p> <ul style="list-style-type: none"> • Messages 'New Order Single' (section 4.1.1.), 'Order Cancel Request' (section 4.1.2.), 'Order Cancel/Replace Request' (section 4.1.4.), 'Execution Report' (section 4.1.6.) now contain non-mandatory field 'NccRequest - Request to NCC for performing trades with Trading Member'. • Added mandatory field 'NccRequest' into messages 'Execution Report' of the FIX Drop Copy service. • Section '2.10. Other fields': changed range of allowable values in messages 'MassCancelRequestType'. Added description for field 'NccRequest'. • Section '4.1.3. Order Mass Cancel Request': changed description for fields 'MarketSegmentID', 'Account*'. Added section '4.2.4 Request to NCC for collateral sufficiency verification of Brokerage Firm'.
4.05.2018	1.6.12	Type change to Int64 for fields 'OrderQty', 'LeavesQty', 'LastQty', 'CumQty' in every message.
11.12.2017	1.6.11	Section 4.1.3. Description of field 'Side' of message 'Order Mass Cancel Request' has been updated.
31.10.2017	1.6.10	Section '4.2.6. Relisting multi-days orders' has been edited.
22.05.2017	1.6.9	<p>Changes applied:</p> <ul style="list-style-type: none"> • Section '2.1. Data types': changed description of type 'UTCTimestamp'. • Sections '4.1.1. New Order Single', '4.1.2. Order Cancel Request', '4.1.3. Order Mass Cancel Request', '4.1.4. Order Cancel/Replace Request', '4.1.6. Execution Report', '4.1.8. Order Mass Cancel Report', '5.2.1. Common instruments trades', '5.2.2. Multi-leg instruments trades', '5.3.1. Adding order', '5.3.2. Deleting order', '5.3.3. Moving order', '5.3.4. Common instruments trades', '5.3.5. Multi-leg instruments trades': changed description of field 'TransactTime'. • Message 'Order Cancel Reject' (section 4.1.7.) now contains new fields 'TransactTime' (Reply time) and 'Revision' (Service field of replication subsystem).
27.02.2017	1.6.8	Updated section '4.5. Automatic order cancellation option (Cancel On Disconnect)'.
22.02.2017	1.6.6	Updated description for field 'TransactTime' of section '4.1.6. Execution Report'.
18.01.2017	1.6.5	Section '4.2.6. Relisting multi-days orders' has been edited and updated.
27.09.2016	1.6.4	<p>Changes applied:</p> <ul style="list-style-type: none"> • Sections '4.1.1. New Order Single' and '4.1.4. Order Cancel/Replace Request' now contain description of field 'Flags'. • Section '2.10. Other fields': updated allowable values of field 'Flags'.
9.08.2016	1.6.3	Section '2.10. Other fields': deleted allowable value '3' Done for day from field 'OrdStatus'.
25.05.2016	1.6.2	Section '4.2.4. Replacing' now contains a new scenario.
18.04.2016	1.6.1	Changes applied:

Date	Version	Changes
		<ul style="list-style-type: none"> • Added section '2.1. Data types'. • Section '2.2. Group Standard Header'. Description of field 'BeginString' now contains the allowable value = 'FIX.4.4'. • Section '2.6. Group Instrument'. Changed fields 'SecurityType' and 'CFICode' descriptions. The field 'Symbol' has its allowable values changed. • Section '2.10. Other fields': fields 'MassCancelResponse' and 'MassCancelRequestType' now have their allowable values changed. • Section '4.1.1. New Order Single': field ClOrdLinkID (583) replaced with MatchRef (20021). • Section '4.1.3. Order Mass Cancel Request': fields 'Account' and 'MarketSegmentID' now have their descriptions changed. • Message 'Order Mass Cancel Report' (section 4.1.8.) now contains new fields 'TransactTime' (Reply time) and 'Revision' (Service field of replication subsystem). • Section '4.2. Trading interaction scenarios' has been updated. • Message descriptions now contain field types.
23.03.2016	1.6.0	All messages of service Drop Copy (section '5. Drop Copy service') now contain field 'ClOrdLinkID'.
22.01.2016	1.5.0	Section '3.2.1. Session establishing and termination' now contains info about a restriction for reestablishing connection to FIX Gate.
13.07.2015	1.4.0	Added field 'ClOrdLinkID' into section '4.1.1. New Order Single'.
2.07.2015	1.4.0	Section '2.1. Standard Header group' now contains description of the field 'OrigSendingTime'.
20.05.2015	1.4.0	Drop Copy service: added section '5.3. Translation of order status and trades'.
22.01.2015	1.3.0	<p>Cancel on disconnect:</p> <ul style="list-style-type: none"> • Added field 'ExecRestatementReason' (Order cancellation reason, applied for orders cancelled by the Trading System) into message 'Execution Report' (section 4.1.6.). • Added section '4.5. Automatic order cancellation option (Cancel On Disconnect)'.
15.12.2014	1.3.0	Section '2.5. Instrument group': changed mandatory status and details of the 'CFICode' field.
29.08.2014	1.3.0	Section '2.5. Instrument group': changed allowable values for the 'Symbol' field.
26.08.2014	1.3.0	Section '3.1.1. Logon': deleted 'DefaultAppVerID' field.
20.08.2014	1.3.0	Section '2.5. Instrument group': changed descriptions of the 'SecurityType' and 'CFICode' fields. Section '2.9. Other fields': changed allowable values for the 'MassCancelRequestType' field. Section '4.1.3. Order Mass Cancel Request': changed description of the 'MarketSegmentID' field.
3.06.2014	1.3.0	Section '2.5. Instrument group': changed allowable values for the 'Symbol' field. Deleted 'SecurityID' field.
13.05.2014	1.3.0	Section '4.4. Error processing': added error processing description (errors transmitted in the 'SenderCompID' and 'TargetCompID' fields).
24.04.2014	1.3.0	Added 'Parties' fields group into the 'New Order Single', 'Order Cancel Request', 'Order Mass Cancel Request', 'Order Cancel/Replace Request' messages.
14.04.2014	1.3.0	Section '2.5. Instrument group': changed allowable values of the 'Symbol' and 'SecurityID' fields.
13.03.2014	1.3.0	Added 'Revision' field (service field, replication system) into the 'Execution Report' message (section 4.1.6.).

1. Introduction

1.1. Document purpose

The document below describes the protocol for interaction between the FIX Gate application and client trading systems. The description is based on the standard FIX protocol (Financial Information Exchange, <https://www.fixtrading.org>, version 4.4) specification. The specification does not contain neither technical nor administrative details on network connection or security protection methods.

1.2. General description

FIX Gate is a server application which provides availability for user applications such as robots, terminals, technical analysis systems, etc. to connect to the exchange trading sessions using the FIX 4.4 protocol. The protocol consists of transport, session and application layers.

The transport layer defines rules of: a) transferring data as set of messages, b) composing message as set of fields, c) composing fields using field ID and field value. The transport layer description is a part of FIX 4.4 specification, therefore, it is not listed in this specification.

The session layer provides identification of each participant as well as guaranteed delivery and message consistent processing, connection status control and session recovery in case of a failure. This specification contains a brief description of the session layer protocol in order to cover certain parameters needed for establishing connection to FIX Gate.

This specification is based upon application layer protocol description, which defines rules of trading process.

2. Description of fields and their values

There are many messages containing the same field sets, for example, the 'Standard Header' and 'Standard Trailer' fields which contain some service information. Some of such field sets are described below:

- **Tag** – the unique field ID, used for generating a FIX message.
- **Field** – the field name, not used for generating FIX messages and described for your reference only.
- **Presence** – a field attribute: specifies whether the field in message is mandatory or non-mandatory.
 - Y - mandatory field;
 - N - non-mandatory field;
 - C - mandatory, if meets the condition (see 'Details').
- **Type** - field type.
- **Details** – detailed description of the field.
- **Allowable values** - additional limitations.

The "*" symbol - flag of difference from the standard FIX protocol.

2.1. Data types

Within the protocol, the following data types are used:

Type	Details
char	Single character value, can include any alphanumeric character or punctuation except the delimiter. All char fields are case sensitive (i.e. m != M).
String	Alpha-numeric free format strings, can include any character or punctuation except the delimiter. All char fields are case sensitive (i.e. morstatt != Morstatt).
float	Sequence of digits with optional decimal point and sign character (ASCII characters "-", "0" - "9" and "."); the absence of the decimal point within the string will be interpreted as the float representation of an integer value. The number of decimal places used should be a factor of business/market needs and mutual agreement between counterparties. Note that float values may contain leading zeros (e.g. "00023.23" = "23.23") and may contain or omit trailing zeros after the decimal point (e.g. "23.0" = "23.0000" = "23" = "23.").
Price16.5	Float field representing a price. The number of significant digits is sixteen. The number of decimal places is five.
Int	Sequence of digits without commas or decimals and optional sign character (ASCII characters "-" and "0" - "9"). The sign character utilizes one byte (i.e. positive int is "99999" while negative int is "-99999"). Note that int values may contain leading zeros (e.g. "00023" = "23"). Examples: 723 in field 21 would be mapped int as [21=723], -723 in field 12 would be mapped int as [12=-723].
NumInGroup	Int field representing the number of entries in a repeating group. Value must be positive.
Int32	Integer signed, 4 bytes.
Int64	Integer signed, 8 bytes.
StringN	String of symbols with fixed length.
UTCTimestamp	Time/date combination represented in UTC (Universal Time Coordinated) in YYYYMMDD-HH:MM:SS.sss (milliseconds) or YYYYMMDD-HH:MM:SS.ssssssss (nanoseconds) format.
SeqNum	Int32 field representing a message sequence number. Value must be positive.
Boolean	Char field containing one of two values: 'Y' = True/Yes, 'N' = False/No.
LocalMktDate	Date of Local Market (vs. UTC) in YYYYMMDD format. Valid values: YYYY = 0000-9999, MM = 01-12, DD = 01-31.

2.2. Standard Header group

The standard header contained in every message contains.

Tag	Field name	Mandatory	Type	Details	Allowable values
8	BeginString	Y	String7	Specifies message start and protocol version.	="FIX.4.4"
9	BodyLength	Y	Length	Message body length. Calculated in accordance with the standards.	

Tag	Field name	Mandatory	Type	Details	Allowable values
35	MsgType	Y	String10	The MsgType ID which is unique for every message.	
49	SenderCompID	Y	String64	Sender ID. The allowable values are specified by the exchange individually for every trading firm (broker firm).	
56	TargetCompID	Y	String	Recipient ID. (FIX-gate ID).	
34	MsgSeqNum	Y	SeqNum	Message sequential number.	
52	SendingTime	Y	UTCTimestamp	Message sending time.	
122	OrigSendingTime	N*	UTCTimestamp	Original message transmission time when resending messages in reply to resend request (message Resend Request (2)), in UTC. Mandatory if a message is sent in reply to resend request (message Resend Request (2)).	
97	PossResend	N	Boolean	Indicates the message containing some data which had been already sent with another sequential number.	
43	PossDupFlag	N	Boolean	Indicates the allowance for resending message using the same sequential number.	

2.3. Standard Trailer group

The standard trailer (end) which every message contains.

Tag	Field name	Mandatory	Type	Details
10	Checksum	Y	String3	Message checksum. For calculation method description see FIX, Volume 2: 'Checksum Calculation'.

2.4. Order Qty Data group

The group contains some quantity data.

Tag	Field name	Type	Detail	Allowable values
38	OrderQty	Int64	Instrument units quantity.	!=0

The 'OrderQty', 'LeavesQty' and 'LastQty' fields are the number of contracts for futures and options.

2.5. Parties group

The optional group 'Parties' contains the following values:

- Counterparty code, in case of negotiated order;
- Brokerage Firm code, in case of adding order with a Clearing Firm login.

The fields order is fixed.

Tag	Field name	Type	Details	Allowable values
453	NoPartyIDs	NumInGroup	Elements quantity in block.	Must be >= 1.
=> 448	PartyID	String64	Counterparty ID	<ul style="list-style-type: none"> • 5-letter participant code • Client login in SPECTRA • BrokerCode
=>447	PartyIDSource	char	PartyID source type	"C", Generally accepted market participant identifier
=>452	PartyRole	Int32	ID type.	• "1" (Executing Firm) - 5-letter order's owner code

Tag	Field name	Type	Details	Allowable values
				<ul style="list-style-type: none"> "3" (Client ID) - client login in SPECTRA "7" (EnteringFirm) - BrokerCode, used for adding orders via CF level logins. "17" (Contra Firm) - 5-letter counterparty code, used for adding negotiated orders "18" (Contra Clearing Firm) - counterparty firm SPECTRA ID in the OTC order

2.6. Instrument group

The group contains instruments parameters.

Tag	Field name	Type	Details	Allowable values
55	Symbol	String25	Instrument symbol ID.	Allowable codes are defined by the Exchange. Clients can transmit both 'shorts_isin' and 'isin' instrument codes in messages. The 'Execution Report' message sent via the gateway contains the instrument ID received from client. An 'Execution Report' message sent in reply to 'Order Status Request' contains 'N/A' in its field 'Symbol'.
461	CFICode	String6	Instrument class according to the ISO-10962 standard. Mandatory for options and multi-leg orders.	<ul style="list-style-type: none"> FXXXXX – futures OXXXXX – option FMXXXS – calendar spread
167	SecurityType	String4	Multi-leg instrument type. Mandatory in message 'New Order Single' when adding a multi-leg order.	<ul style="list-style-type: none"> MLEG - calendar spread

2.7. Instrument Leg group

The group contains legs parameters of a multi-leg instrument.

Tag	Field name	Type	Details	Allowable values
555	NoLegs	NumInGroup	Number of legs.	Must be = 2.
=> 600	LegSymbol	String25	Symbol ID of a calendar spread futures.	
=> 623	LegRatioQty	Int32	Quantity ratio	
=> 624	LegSide	char	Direction	<ul style="list-style-type: none"> '1' – buy '2' – sell
=> 637	LegLastPrice	Price16.5	All legs price	

2.8. MiscFeesGrp* group

The group contains fee data.

Tag	Field name	Type	Details	Allowable values
136	NoMiscFees*	NumInGroup	Number of elements in block.	Must be = 1.
=> 137	MiscFeeAmt*	Price16.5	Fee amount.	
=> 139	MiscFeeType*	Int32	Fee type.	"4" (Exchange Fees)

2.9. Display Instruction group

Contains parameters that are added to the iceberg order. FIX Gate determines an iceberg order by the presence of this group of parameters in the message **New Order Single**.

Tag	Field name	Type	Detail	Allowable values
1138	DisplayQty	Int64	The number of instrument units in the constant component of the volume of the pop-up (visible part) iceberg order.	This parameter cannot be larger than the entire iceberg. A disclose volume cannot be less than the minimum lot for this instrument (values are published on the exchange website).
20036	DisplayVarianceQty	Int64	The value of the random deviation of the volume of the pop-up part of the iceberg order.	The parameter value can be from zero to the value published on the exchange website.
1084	DisplayMethod	char	Type of pop up.	= 3 - Random (randomize value).

2.10. Other fields

Most of the fields meets the FIX specification. There are some of the supported fix-messages fields below. The 'Allowable values' column shows supported range of values according to the FIX protocol specification. If a field is absent in the table, please follow the FIX4.4 directives.

Tag	Field name	Details	Allowable values
11	ClOrdID	User ID of the sent message.	Any string with unique ID for every 'SenderCompId'.
39	OrdStatus	Order status.	<ul style="list-style-type: none"> • '0' New • '1' Partially filled • '2' Filled • '4' Canceled • '5' Replaced • '6' Pending Cancel • '8' Rejected • 'A' Pending New • "C" Expired • "E" Pending Replace
44	Price	Price	Decimal number
54	Side	Direction	<ul style="list-style-type: none"> • '1' - Buy • '2' - Sell
59	TimInForce	Order type	<ul style="list-style-type: none"> • '0' Day –Quote order (remains in queue after being partially matched). • '3' IOC – Immediate-or-Cancel order (cancelled if not immediately executed). • '4' FOK – Fill-or-Kill order. • '6' GTD – Good-till-Date order. • 'z' BOC – Book-or-cancel (Passive only) order.
102	CxlRejReason	Reason for cancelling/modifying request rejection.	<ul style="list-style-type: none"> • '0' Too late to cancel - The order has been already executed. • '1' Unknown order - Order not found. • '3' Order already in Pending Cancel or Pending Replace status. • '99' Other – Other reason.
103	OrdRejReason	Reason for request rejection. Specified for 'Execution Report' with ExecType=8.	<ul style="list-style-type: none"> • '1' Unknown symbol - Instrument not found. • '2' Exchange closed - Trading session is over. • '3' Order exceeds limit - Order exceeds the limits set. • '5' Unknown order - Order not found. • '6' Duplicate Order - Order ID already exists.

Tag	Field name	Details	Allowable values
			<ul style="list-style-type: none"> '99' Other - Other reason.
150	ExecType	Order status report type (Execution Report).	<ul style="list-style-type: none"> '0' New '3' Done for day '4' Canceled '5' Replaced '6' Pending Cancel '8' Rejected 'C' Expired 'E' Pending Replace 'F' Trade 'I' Order Status
198	SecondaryOrderID	Additional order ID in the SPECTRA system.	<p>String:</p> <ul style="list-style-type: none"> 'F:Order ID in SPECTRA' - for futures or Standard instruments. 'O:Order ID in SPECTRA' - for option instruments.
373	SessionRejectReason	Message reject reason ID for the session layer.	<ul style="list-style-type: none"> '0' – Incorrect tag. '1' – Mandatory field missing. '2' – Undefined tag for this message type. '3' – Undefined tag. '4' – Value missing for this tag. '5' – Incorrect value for this tag (value limits exceeded). '6' – Incorrect data format for this value. '7' – Decoding error. '8' – Signature error. '9' – 'CompID' error. '10' – 'SendingTime' accuracy error. '11' – Incorrect message type. '12' – XML validation error. '13' – Tag already exists. '14' – Tags definition order error. '15' – Group fields definition order error. '16' – Group elements number calculation error ('NumInGroup'). '17' – Non-data field contains separator. '99' - Other. '7100' – Messages limit exceeded. '7101' – System error.
376	ComplianceID	Marking the order adding method.	<ul style="list-style-type: none"> ' ' (space or empty string) - Not filled in/Not specified. 'M' - Manual input.

Tag	Field name	Details	Allowable values
			<ul style="list-style-type: none"> 'S' - As a result of the conditional request (stop-loss order). 'R' - As a result of the robot algorithm work. 'A' - As a result of the auto-following algorithm. 'D' - Covering a position as a result of an unexecuted Margin Call. <p>Please note that the 'ComplianceID' field does not affect the trade execution, are not checked for valid values, and is displayed in the gateway without changes (Execution Report message), and is transmitted to the Regulator's reports. It is impossible to correct it after the fact.</p>
434	CxlRejResponseTo	Specifies request type where 'Order Cancel Reject' is reply.	<ul style="list-style-type: none"> '1' – Order Cancel Request. '2' – Order Cancel/Replace Request.
530	MassCancelRequestType	Mass cancel request type.	<ul style="list-style-type: none"> '1' – Cancel all orders for certain instrument. '8' or '9' – Cancel all orders in the certain market segment. 'Z' - Request to NCC for collateral sufficiency verification of Brokerage Firm.
531	MassCancelResponse	Trading system mass cancel response.	<ul style="list-style-type: none"> '0' – Mass cancel request is rejected. '1' - All orders for certain instrument are cancelled. '8' or '9' – All orders in the certain market segment are cancelled.
532	MassCancelRejectReason	Mass cancel reject reason.	'99' Other – Other reason.
1300	MarketSegmentID*	Market segment.	<ul style="list-style-type: none"> 'F' – Futures. 'O' – Options.
20008	Flags	Operation flags.	<p>Bits of the field 'Flags' in messages '4.1.1. New Order Single' and '4.1.4. Order Cancel/Replace Request':</p> <ul style="list-style-type: none"> 0x8 - Verify price limits for option contracts. <p>Bits of the field 'Flags' in message '4.1.6. Execution Report':</p> <ul style="list-style-type: none"> 0x1 – Quote 0x2 – Counter 0x4 – OTC order. 0x8 – Position transfer trade. 0x10 - Client collateral was not checked while adding order. 0x200 - Do not check limits for options. 0x2000 - Sign of canceling a passive cross-order. 0x80000 – Fill-or-Kill order. 0x100000 – The record is a result of moving the order. 0x200000 – The record is a result of cancelling the order. 0x400000 – The record is a result of mass canceling orders. 0x2000000 - Clearing session trade. 0x4000000 – Negotiated order or trade. 0x8000000 – Multi-leg trade.

Tag	Field name	Details	Allowable values
			<ul style="list-style-type: none"> • 0x20000000 – The record is a result of order last leg deletion due to a cross-trade. • 0x80000000 – Negotiated order or trade matched by reference. • 0x100000000 - The record results from cancelling an order via 'Cancel on Disconnect' service. • 0x2000000000 - The record results from cancelling an order via 'User Kill Switch' service. • 0x4000000000 - Trade results from request to NCC. • 0x8000000000 - The record results from cancelling an order via 'Request to NCC for collateral sufficiency verification of Brokerage Firm' command. • 0x100000000000 - The record are formed in the process of liquidation netting. • 0x200000000000 – The active side in the trade. The order that led to the trade when added to the order-book. • 0x400000000000 – The passive side in the trade. The order from the order-book involved in the trade. • 0x20000000000000 - Flag of synthetic order. • 0x80000000000000 - Iceberg order. • 0x2000000000000000 - Disclosing of iceberg order. • 0x100000000000000000 - Book-or-cancel (Passive only) order. • 0x40000000000000000000 - Sign of an order/trade during the opening auction. <p>Bits of the field 'Flags' in message '4.1.3. Order Mass Cancel Request':</p> <ul style="list-style-type: none"> • 0x10 – System orders. • 0x20 – OTC orders. • 0x40 – All.
20035	NccRequest	Request to NCC for performing trades with Trading Member.	<ul style="list-style-type: none"> • 'Y' – Request to NCC / Trade resulting from request to NCC. • 'N' – Market order / trade.

3. Session layer protocol

Session layer protocol which provides parties authentication, guaranteed messages delivery and sequential message processing, connection status and session recovery in case of any failure.

3.1. Supported messages

- **Logon** - Initiates session.
- **Logout** - Initiates or confirms session termination.
- **Heartbeat** - Ensures that session is up and running.
- **Test Request** - Used as part of session establishment procedure, must be replied with specific Heartbeat message.
- **Reject** – Informs party about incorrect or unknown message.
- **Resend Request** - Informs party that messages in particular range must be resent.
- **Sequence Reset** - Used to skip administrative messages on resend – 'Gap Fill mode'. Also used to reset messages sequence – 'Reset mode'.

All the messages can be sent in both directions.

3.1.1. Logon

Initiates or confirms session start. This message must be the first in every session.

Tag	Field name	Mandatory	Type	Details
<Header' group>		Y		Message type 'A'.
98	EncryptMethod	Y	Int	Encryption method. Must be set to '0' – NONE_OTHER – no message encryption..
108	HeartBtInt	Y	Int	Heartbeat messages sending interval.
141	ResetSeqNumFlag	N	Boolean	Reset messages sequence for both parties.
<Trailer' group>		Y		

3.1.2. Logout

Initiates or confirms session termination.

Tag	Field name	Mandatory	Type	Details
<Header' group>		Y		Message type '5'.
58	Text	N	String	Reason for session termination
<Trailer' group>		Y		

3.1.3. Heartbeat

Ensures that session is up and running. If the 'Heartbeat' message is sent in response to the 'Test Request' message, the 'TestReqID' field must contain the 'Test Request' message ID.

Tag	Field name	Mandatory	Type	Details
<Header' group>		Y		Message type '0'.
112	TestReqID	N	String	Mandatory if sent in response to the 'Test Request' message.
<Trailer' group>		Y		

3.1.4. Test Request

The message calls/initiates/requests the 'Heartbeat' message from the opposite party..

Tag	Field name	Mandatory	Type	Details
<Header' group>		Y		Message type '1'.
112	TestReqID	Y	String	Request message ID, returned in the 'Heartbeat' message.
<Trailer' group>		Y		

3.1.5. Reject

The reject message should be issued when a message is received but cannot be properly processed due to a session-level rule violation. An example of when a reject may be appropriate would be the receipt of a message with invalid basic data (e.g. MsgType=&) which successfully passes CheckSum and BodyLength checks.

Tag	Field name	Mandatory	Type	Details
<Header' group>		Y		Message type '3'.
45	RefSeqNum	Y	SeqNum	Rejected message number.
371	RefTagID	N	Int	Invalid field number.
372	RefMsgType	N	String	Rejected message type.
373	SessionRejectReason	N	Int	Rejection reason ID.
58	Text	N	String	Rejection reason details.
<Trailer' group>		Y		

3.1.6. Resend Request

The message initiates resending of a particular message range. Use 'BeginSeqNo=EndSeqNo' for a single message resending and 'EndSeqNo=0' for a range of messages starting from the particular one (where '0' indicates infinity).

Tag	Field name	Mandatory	Type	Details
<Header' group>		Y		Message type '2'.
7	BeginSeqNo	Y	SeqNum	Number of the first message to resend.
16	EndSeqNo	Y	SeqNum	Number of the last message to resend.
<Trailer' group>		Y		

3.1.7. Sequence Reset

Sequence Reset message has following modes:

- Gap Fill mode (MsgSeqNum field is used);
- Reset mode (MsgSeqNum field ignored).

Gap Fill mode is used in response to a 'Resend Request' message when one or more messages must be skipped over for the following reasons:

- During normal resend processing, the sending application may choose 'not to send a message' (e.g. an aged order).
- During normal resend processing, a number of administrative messages are skipped and not resent (such as HeartBeats, Test Requests).

Gap Fill mode is indicated by GapFillFlag (tag 123) field = "Y".

Tag	Field name	Mandatory	Type	Details
<Header' group>		Y		Message type '4'.
123	GapFillFlag	N	Boolean	Mode: <ul style="list-style-type: none"> • 'Y' - the 'Gap Fill' mode – the 'MsgSeqNum' field is used. If there are some administrative messages to be skipped, then the 'Sequence Reset' message is used for responding to the 'Resend Request' message. • 'N' - the 'Reset' mode - Messages sequence reset mode.
36	NewSeqNo	Y	SeqNum	New sequence number.
<Trailer' group>		Y		

3.2. Session establishing and termination scenarios

3.2.1. Session establishing and termination

Each side (FIX Gate, client) has 2 sequence numbers: "In" and "Out". The "In" sequence number on the FIX Gate must be the same as the "Out" sequence number on the client. The "Out" sequence number on the FIX Gate must be the same as the "In" sequence number on the client.

To establish a FIX session, parties send the 'Logon' messages, in which MsgSeqNum must be the same as the "Out" sequence number. When the second party receives the 'Logon' message, it checks the incoming number with the expected value of the "In" sequence number. If there is a mismatch on either side, the processing takes place depending on which way the incoming MsgSeqNum differs:

- If an incoming MsgSeqNum is greater than the expected "In" counter, a 'Resend Request' message is sent in response. At the same time, FIX Gate will resend the range of missed messages (it is important for the client to receive the missing Execution Report). In such a situation, the client is advised to use the 'Gap Fill mode' to skip the previous processed orders.
- If an incoming MsgSeqNum is lower than it is expected by the "In" counter, then the counterparty has its state reset for some reason. For the Client, a lower incoming MsgSeqNum would indicate one of the following:
 - A scheduled FIX Session restart (nightly).
 - An exceptional situation during a trading session (e.g., disaster recovery, switching to a cold standby, etc.)

In this case, the client must reset the "In" sequence number to 1.

If the client opens a FIX session and sends the 'Logon' message with MsgSeqNum that is less than expected by the server, FIX Gate will automatically adjust its "In" sequence number to the new numbers from the client.

The FIX client (initiator) sends the 'Logon' message with the SenderCompID. If the 'Logon' message is correct and the user is logged in, FIX Gate sends the client a response to the 'Logon' message that confirms the connection. If the 'Logon' message is incorrect or the System has not authorized the user, FIX Gate closes the connection without sending any response messages.

The correct termination/closure of the session is considered to be the exchange of 'Logout' messages between the initiator and the acceptor. Other methods of closing/terminating a session should be considered incorrect and those that lead to an error. To close the session, the client must send the 'Logout' message and wait for the 'Logout' response message from FIX Gate.

It is recommended to make sure that no messages are lost or missed before sending the 'Logout' message. To do this, the client sends the 'Test Request' message and waits for a 'Heartbeat' response message.

In case of reconnection to FIX Gate, the 'Logon' message must be resent no earlier than 30 seconds after the end of previous session, whether it was successful or not. If the client makes such an attempt earlier, FIX Gate will close the connection without sending any response message.

Note:

The client must send the 'Logon' message with MsgSeqNum = 1 each new trading day. FIX client must send 'Logon' message with MsgSeqNum = sequence number of the last message in out log + 1 establishing the next session on the same day.

If the client sends the 'Logon' message with ResetSeqNumFlag='Y', then it will not receive Execution Reports for events which took place before the session is established.

Attention!

If the client resends application-level messages with the PossDupFlag='Y' flag set in response to the 'Resend Request' message, this may lead to the opening of new positions. For this reason, the client is recommended to send the 'Sequence Reset' message to skip the server in Gap Fill mode instead of resending application-level messages.

3.2.2. Message resending request

During the initialization process or due to unexpected connection break there may be numeration error when the incoming message sequence number is greater than expected (while the common message number is always greater by 1 than that of the last message in log). In this case, the client must request the retransmission via sending the 'Resend Request' message including sequence number range for the missing messages (the 'BeginSeqNo', 'EndSeqNo' fields values).

For example, the sequence number of the last message received by the client before the connection loss was exactly 5, and after the connection was restored, FIX Gate sent a message with the sequence number 10. This means that the client missed/lost messages from 6 to 9. To receive these messages, the client must send a Resend Request message with BeginSeqNo=6 and EndSeqNo=9.

If the incoming message has a sequence number less than expected and the PossDupFlag is not set, it indicates a serious error. It is strongly recommended that the session be terminated and contact technical support.

3.2.3. Session status monitoring

The 'Heartbeat' message is used to monitor the FIX session status as well as gaps in messages sequence numbers in case of missing some incoming messages. In order to do this, the client application generates the 'Heartbeat' messages and sends it to FIX Gate in accordance with time interval specified by the 'HeartBtInt' field value in the 'Logon' Message.

If there is no reply from FIX Gate within the specified time interval (the 'HeartBtInt' field value + transmission time), the client should generate and send the 'Test Request' message to the Fix Gate. In case of no reply within the specified time interval the client should reestablish connection to the FIX Gate.

3.2.4. Resetting message sequence

MOEX automatically resets sequence numbers (MsgSeqNum) at the start of each day. It means that sequence numbers of messages should start from 1 each new day.

FIX client may request to reset sequence number of messages (MsgSeqNum) with 'Logon' message with ResetSeqNumFlag = 'Y' during a trading day. In this case, it is recommended for the initiator to send the 'TestRequest' and wait for a Heartbeat in response to ensure there are no sequence number gaps. Once the Heartbeat has been received, the initiator should send the 'Logon' with ResetSeqNumFlag set to Y and with MsgSeqNum = 1. The acceptor should respond with the 'Logon' with ResetSeqNumFlag set to Y and with MsgSeqNum = 1. At this point new messages from either side should continue with MsgSeqNum of 2.

Note that the use of the 'Sequence Reset' – Reset may result in the possibility of losing messages.

3.2.5. Session recovery after failure

There are certain mechanisms of FIX session recovery:

1. In case connection was broken but FIX client didn't lose its logs the following steps should be taken in order to reestablish FIX session:
 - Send 'Logon' message with sequence number MsgSeqNum = sequence number of the last message in out log + 1;
 - If FIX Gate confirms logon and sends 'Logon' message with sequence number greater than expected, then send 'Resend Request' message with the range of missed messages;
 - In this case FIX Gate resends all range of missed messages to the FIX client.
2. In the case of serious failure when FIX client lost his logs the following steps should be taken in order to reestablish FIX session:
 - Send the 'Logon' message with sequence number MsgSeqNum = 1.
 - If FIX Gate confirms logon and sends 'Logon' message with Text ="MsgSeqNum too low, expecting X but received Y" send 'Logon' message with sequence number MsgSeqNum = X.
 - Send the 'Resend Request' message with a range of missed messages.
 - In this case FIX Gate resends all range of missed messages to the FIX client.
3. If the main FIX Gate server is unavailable, the client will be connected by balancer to the standby FIX Gate server.

The main and standby servers do not synchronize the MsgSeqNum message sequence numbers, so when switching between them, the sequence of message numbers cannot continue. When trying to connect to the standby server, the client will receive a message with a sequence number that is lower than expected. In this situation, you should reset the message sequence numbers.

When switching to a backup gateway:

- The "In" sequence number on FIX Gate waits for MsgSeqNum=1 from the client. If you connect without resetting the outgoing message numbers on the client, FIX Gate will re-request the "unreceived" messages. In response, the client is advised to execute the 'GapFill' script – send the 'Sequence Reset' message to the server in the 'Gap Fill' mode.
- The "Out" sequence number on the server can be greater than 1, but less than it was on the previous active server (equal to the number of application-level messages, no administrative messages). In this case, the client will receive the 'Logon' message from the server with MsgSeqNum that is less than expected. The client should also reset the "In" sequence number on its side.

4. Trading interaction

4.1. Supported messages

- **New Order Single** – Request for generating a new trading order, sent from client to the FIX Gate server.
- **Order Cancel Request** – Order cancel request, sent from client to the FIX Gate server.
- **Order Mass Cancel Request** – Order mass cancel request, sent from client to the FIX Gate server.
- **Order Cancel/Replace Request** – Order replace request, sent from client to the FIX Gate server.
- **Order Status Request** – Order current status request, sent from client to the FIX Gate server.
- **Execution Report** – Order status data, sent from the FIX Gate server to client.
- **Order Cancel Reject** – Order cancel reject reason, sent from the FIX Gate server to client.
- **Order Mass Cancel Report** – Reply to the 'Order Mass Cancel Request' message, sent from the FIX Gate server to client.

4.1.1. New Order Single

Adding new order for any type of instruments.

Tag	Field name	Mandatory	Type	Details
<'Header' group>		Y		Message type 'D'.
60	TransactTime	Y	UTCTimestamp	Order sending time (UTC). Date format: YYYYM-MDD-HH:MM:SS.ssssssss
11	ClOrdID	Y	String20	User ID of the order.
583	ClOrdLinkID	N	Int32	External ID.
20021	MatchRef	N	String10	Client ID of negotiated order. Client IDs are used to securely match negotiated orders.
40	OrdType	Y	char	Order type. Supported order type:'2' – Limit
55	Symbol	Y	String25	Instrument symbol ID.
461	CFIcode	C*	String6	Instrument class according to the ISO-10962 standard. Mandatory for options and multi-leg orders. <ul style="list-style-type: none"> • FXXXXX – futures • OXXXXX – option • FMXXXX – calendar spread
167	SecurityType	C*	String4	Multi-leg instrument type. Mandatory in message 'New Order Single' when adding a multi-leg order. <ul style="list-style-type: none"> • MLEG - calendar spread
1	Account	Y*	String3	3-symbol client code.
59	TimeInForce	N	char	Order type. If the field is missing, then its value is set to '0' (quote order).
54	Side	Y	char	Order direction.
1138	DisplayQty	C	Int64	The number of instrument units in the constant component of the volume of the pop-up (visible part) iceberg order. It is required if there are 'DisplayVarianceQty' and 'DisplayMethod' fields in the message.
20036	DisplayVarianceQty	C	Int64	The value of the random deviation of the volume of the pop-up part of the iceberg order. It is required if there are 'DisplayQty' and 'DisplayMethod' fields in the message.
1084	DisplayMethod	C	char	= 3 - Random (randomize value). It is required if there are 'DisplayQty' and 'DisplayVarianceQty' fields in the message.
38	OrderQty	Y*	Int64	Instrument units quantity (for iceberg order - instrument units quantity for the entire order).
44	Price	C	Price16.5	Order price. Mandatory for the type 2 orders ('OrdType'=2 (Limit)).
526	SecondaryClOrdID	N	String20	Comment field, added to orders and trades.
453	NoPartyIDs	N	NumInGroup	"1" or "2"

Tag	Field name	Mandatory	Type	Details
=> 448	PartyID	C	String64	Counterparty ID: <ul style="list-style-type: none"> • BrokerCode, used for adding orders via CF level logins. • 5-letter counterparty code, used for adding negotiated orders. Mandatory if NoPartyIDs >= 1.
=> 447	PartyIDSource	C	char	"C" (Generally accepted market participant identifier). Mandatory if NoPartyIDs >= 1.
=> 452	PartyRole	C	Int32	ID type: <ul style="list-style-type: none"> • "7" (EnteringFirm) - BrokerCode, used for adding orders via CF level logins. • "17" (Contra Firm) - 5-letter counterparty code, used for adding negotiated orders Mandatory if NoPartyIDs >= 1.
432	ExpireDate	C	LocalMktDate	Order expiration date. Date format: YYYYMMDD. Mandatory for the orders with 'TimeInForce'=6 (GTD).
1300	MarketSegmentID*	N	char	Market segment the order is specified for. If missing, then the market segment is specified in accordance with 'CFICode'.
20008	Flags	N	Int64	Flag bitmask: <ul style="list-style-type: none"> • 0x8 – Verify price limits for option contracts.
20035	NccRequest	N	Boolean	Request to NCC for performing trades with Trading Member (Y/N).
376	ComplianceID	N	String1	Marking the order adding method.
<Trailer' group>		Y		

4.1.2. Order Cancel Request

Tag	Field name	Mandatory	Type	Details
<'Header' group>		Y		Message type 'F'.
453	NoPartyIDs	N	NumInGroup	"1"
=> 448	PartyID	C	String64	BrokerCode. Mandatory if NoPartyIDs = 1.
=> 447	PartyIDSource	C	char	"C" (Generally accepted market participant identifier). Mandatory if NoPartyIDs = 1.
=> 452	PartyRole	C	Int32	"7" (EnteringFirm). Mandatory if NoPartyIDs = 1.
11	ClOrdID	Y	String20	User ID of the order.
37	OrderID	C*	Int64	Order ID to cancel in SPECTRA. Allowable values: >0. Mandatory, if the 'OrigClOrdID' field is missing.
41	OrigClOrdID	C*	String20	User ID of the order to cancel. Mandatory, if the 'OrderID' field is missing.
55	Symbol	Y	String25	Instrument symbol ID.
461	CFICode	C*	String6	Instrument class according to the ISO-10962 standard. Mandatory for options and multi-leg orders. <ul style="list-style-type: none"> • FXXXXX – futures • OXXXXX – option • FMXXXX – calendar spread
54	Side	Y	char	Order direction.
60	TransactTime	Y	UTCTimestamp	Order sending time (UTC). Date format: YYYYM-MDD-HH:MM:SS.ssssssss
20035	NccRequest	N	Boolean	Request to NCC for performing trades with Trading Member (Y/N).
38	OrderQty	Y*	Int64	Instrument units quantity.
<'Trailer' group>		Y		

4.1.3. Order Mass Cancel Request

Tag	Field name	Mandatory	Type	Details
<'Header' group>		Y		Message type 'q'.
453	NoPartyIDs	N	NumInGroup	"1"
=> 448	PartyID	C	String64	BrokerCode. Mandatory if NoPartyIDs = 1.
=> 447	PartyIDSource	C	char	"C" (Generally accepted market participant identifier). Mandatory if NoPartyIDs = 1.
=> 452	PartyRole	C	Int32	"7" (EnteringFirm). Mandatory if NoPartyIDs = 1.
11	ClOrdID	Y	String20	User ID of the order.
583	ClOrdLinkID	N	Int32	External ID.
530	MassCancelRequestType	Y	char	Mass cancel request type.
1300	MarketSegmentID	C	char	Market segment to search orders to cancel. Mandatory if MassCancelRequestType = 1, or MassCancelRequestType = 8, or MassCancelRequestType = 9.
54	Side	N	char	Order type by direction: <ul style="list-style-type: none"> • '1' – Buy orders. • '2' – Sell orders. • 'Y' – All orders. If the field is missing in the incoming message, all orders will be canceled ('Y' value).
1	Account*	C	String3	Client account ID. If the 'Account' parameter is not specified or equal to '%%%', then all orders for all client accounts will be canceled. It is reasonable to set for BF and/or CF logins only and if 'MassCancelRequestType' is not equal 'Z' (Request to NCC for collateral sufficiency verification of Brokerage Firm).
20008	Flags	N	Int32	Whether to cancel orders on their negotiated sign: <ul style="list-style-type: none"> • 0x10 - System orders • 0x20 - OTC orders • 0x40 - All If there is no field 'Flags' in the input message, FIX Gate transmit the value '0x40 - All' into the trading system.
55	Symbol	C*	String25	Instrument symbol ID. Mandatory, if 'MassCancelRequestType'=1.
60	TransactTime	Y	UTCTimestamp	Order sending time (UTC). Date format: YYYYM-MDD-HH:MM:SS.ssssssss
<'Trailer' group>		Y		

You can delete only your orders from the trading system. Therefore, all the variants described below for mass cancelling of orders are possible only within the framework of a certain brokerage firm code. Then other conditions for the selection of orders are carried out sequentially.

Mass cancelling orders is possible according to the following parameters:

- by external order identifier in the user system. If the **ClOrdLinkID** field is in the message and contains a value other than zero, then all orders with this number are removed. In this case, the values of the **Side**, **Flags** and **Symbol** parameters are ignored;
- by a specific instrument or by a specific market segment:
 - **MassCancelRequestType=1** - cancellation of orders for a specific instrument code. In this case, the message must necessarily contain the code of the instrument by which orders are deleted;
 - **MassCancelRequestType=8** or **MassCancelRequestType=9** - cancellation of orders in a specific market segment.

In both cases, the code of the market segment (in which orders are deleted) sets in the field **MarketSegmentID**;

- by orders directions:

- **Side=1** – all buy orders are canceled;
- **Side=2** – all sell orders are canceled;
- **Side=Y** – all buy and sell orders are canceled.

If there is no **Side** field in the input message, then orders of all directions (buy and sell) are canceled by default;

- by orders type (common/ negotiated):
 - **Flags=0x10** – all common orders are canceled;
 - **Flags=0x20** – all negotiated orders are canceled;
 - **Flags=0x40** – all common and negotiated orders are canceled.

If there is no **Flags** field in the input message, then orders of all types (common and negotiated) are canceled by default;

- by client code - the specific client account for which orders should be canceled set in the **Account** field.

If the **Account** parameter is not set or is '%%%', then all orders for all clients' accounts are removed. Setting '%%%' makes sense only for BF and RF logins.

Order mass cancel request cannot be used to cancel orders for multi-leg instruments.

The command is not available for a Clearing Member which is not simultaneously a Trading Member.

4.1.4. Order Cancel/Replace Request

Order price/volume replace request.

Tag	Field name	Mandatory	Type	Details
<'Header' group>		Y		Message type 'G'.
453	NoPartyIDs	N	NumInGroup	"1"
=> 448	PartyID	C	String64	BrokerCode. Mandatory if NoPartyIDs = 1.
=> 447	PartyIDSource	C	char	"C" (Generally accepted market participant identifier). Mandatory if NoPartyIDs = 1.
=> 452	PartyRole	C	Int32	"7" (EnteringFirm). Mandatory if NoPartyIDs = 1.
11	ClOrdID	Y	String20	User ID of the price/volume replace order.
37	OrderID	C*	Int64	Order ID to replace in SPECTRA. Allowable values: >0. Mandatory, if the 'OrigClOrdID' field is missing.
41	OrigClOrdID	C*	String20	User ID of the order to cancel. Mandatory, if the 'OrderID' field is missing.
583	ClOrdLinkID	N	Int32	External ID.
38	OrderQty	Y*	Int64	New instrument quantity for the first order.
44	Price	C	Price16.5	New price for the first order. Mandatory for orders where 'OrdType'=2 (Limit).
55	Symbol	Y	String25	Instrument symbol ID.
461	CFICode	C*	String6	Instrument class according to the ISO-10962 standard. Mandatory for options and multi-leg orders. <ul style="list-style-type: none"> • FXXXXX – futures • OXXXXX – option • FMXXXXS – calendar spread
54	Side	Y	char	Order direction.
60	TransactTime	Y	UTCTimestamp	Order sending time (UTC). Date format: YYYYMM-MDD-HH:MM:SS.ssssssss
20008	Flags	N	Int64	Flag bitmask: <ul style="list-style-type: none"> • 0x8 – Verify price limits for option contracts
20035	NccRequest	N	Boolean	Request to NCC for performing trades with Trading Member (Y/N).
376	ComplianceID	N	String1	Marking the order adding method.
<'Trailer' group>		Y		

4.1.5. Order Status Request

Tag	Field name	Mandatory	Type	Details
<'Header' group>		Y		Message type 'H'.
11	ClOrdID	C*	String20	Client ID of the requested order. Mandatory if OrderID is missing. Allowable values: > 0.
37	OrderID	C*	Int64	Order ID in the SPECTRA system. Mandatory if ClOrdID is missing. Allowable values: >0.
55	Symbol	Y	String25	Instrument symbol ID.
54	Side	Y	char	Order direction.
790	OrdStatusReqID	N	String64	Can be used for the status request message identification. The value is returned via the 'Execution Report' message.
<'Trailer' group>		Y		

4.1.6. Execution Report

Order status change report. The message is sent as a reply when:

- Order was successfully added;
- Order was rejected;
- Order was successfully canceled;
- Order current status was requested;
- Order current status request was rejected;
- Order was replaced;
- Multi-day order was relisted;
- Order was executed.

Tag	Field name	Mandatory	Type	Details
<'Header' group>		Y		Message type '8'.
11	ClOrdID	Y*	String20	User ID of the order sent.
41	OrigClOrdID	N	String20	User ID of the order to be canceled/replaced.
583	ClOrdLinkID	N	Int32	External ID.
150	ExecType	Y	char	Report type.
39	OrdStatus	Y	char	Order status.
17	ExecID	Y	String64	Unique ID generated by FIX Gate for every outgoing 'Execution Report' message.
37	OrderID	Y	Int64	Order ID in SPECTRA (for iceberg order – ID of the entire order).
198	SecondaryOrderID	N	String64	Order secondary ID.
336	TradingSessionID	N	Int32	Trading session ID.
1	Account	N	String7	7-symbol client account code.
60	TransactTime	N	UTCTimestamp	Order status changing time/Reply sending time. Date format: YYYYM-MDD-HH:MM:SS.sss. The field is not transmitted if OrdStatus=6 (Pending Cancel) or OrdStatus=E (Pending Replace). The field is not transmitted when "Order was rejected".
55	Symbol	Y	String25	Instrument symbol ID.
54	Side	Y	char	Direction.
44	Price	C	Price16.5	Price. If 'ExecType'=F (Trade), then Price=0.
32	LastQty	C	Int64	Instrument quantity in trade. Specified for 'Execution Report' with 'ExecType'=F (Trade).
38	OrderQty	Y*	Int64	Instrument units quantity (for iceberg order - instrument units quantity for the entire order).
151	LeavesQty	Y	Int64	Volume left.

Tag	Field name	Mandatory	Type	Details
14	CumQty	Y	Int64	Total instrument units quantity bought or sold via the order.
6	AvgPx	Y	Price16.5	Trade average price via the order.
103	OrdRejReason	N	Int32	Request rejection reason. Specified for 'Execution Report' where 'ExecType'=8 (Rejected).
58	Text	N	String255	Message text.
790	OrdStatusReqID	N	String64	Order status request ID. Specified for 'Execution Report' where 'ExecType'=I (Order Status).
526	SecondaryClOrdID	N	String20	Comment.
<'Parties' group>		N		Used for the OTC order reports.
527	SecondaryExecID	N	Int64	Trade ID. Specified for 'Execution Report' where 'ExecType'=F (Trade).
880	TrdMatchID	N	Int64	Trade ID. Specified for 'Execution Report' where 'ExecType'=F (Trade) for multi-leg trades.
31	LastPx	C	Price16.5	Matched trade price. Specified for 'Execution Report' where 'ExecType'=F (Trade).
136	NoMiscFees*	N	NumInGroup	'1' Specified for 'Execution Report' where 'ExecType'=F (Trade).
=> 137	MiscFeeAmt*	Y	Price16.5	Trade fee.
=> 139	MiscFeeType*	Y	Int32	'4' (Exchange Fees)
555	NoLegs	N	NumInGroup	'2' Specified for 'Execution Report' where 'ExecType'=F (Trade) for multi-leg trades.
=> 600	LegSymbol	Y	String25	Symbol ID of a calendar spread futures.
=> 623	LegRatioQty	N	Int32	Quantity ratio
=> 624	LegSide	N	char	Direction: <ul style="list-style-type: none"> • '1' – buy • '2' – sell
=> 637	LegLastPrice	N	Price16.5	All legs price
432	ExpireDate	C	LocalMktDate	Order expiration date. Specified for the orders with 'TimInForce'=6 (GTD).
20008	Flags	N	Int64	Operation flags.
40	OrdType	N	char	Order type. '2' – Limit
20018	Revision	N	String64	Service field, replication system. The field is not transmitted when "Order was rejected".
378	ExecRestatementReason	N	Int32	Order cancellation reason. Applied when order was cancelled by the Trading System. '100' – Cancelled via Cancel on Disconnect.
20035	NccRequest	N	Boolean	Request to NCC for performing trades with Trading Member. (Y/N).
1138	DisplayQty	C	Int64	The number of instrument units in the constant component of the volume of the pop-up (visible part) iceberg order. It is broadcast for iceberg orders.
20036	DisplayVarianceQty	C	Int64	The value of the random deviation of the volume of the pop-up part of the iceberg order. It is broadcast for iceberg orders.
1084	DisplayMethod	C	char	= 3 - Random (randomize value).It is broadcast for iceberg orders.
278	MDEntryID	C	Int64	The identifier of the pop-up part on the Iceberg order, assigned by the trading system. ID corresponds to the 'MDEntryID' field in the anonymous stream of orders and trades. It is broadcast for iceberg orders.
20051	Flags2	N	Int64	Operation flags extension (in addition to the 'Flags' field).
376	ComplianceID	N	String1	Marking the order adding method.
<'Trailer' group>		Y		

4.1.7. Order Cancel Reject

Tag	Field Name	Mandatory	Type	Details
<Header' group>		Y		Message type '9'.
37	OrderID	Y	Int64	Order ID in SPECTRA.
198	SecondaryOrderID	N	String64	Secondary order ID.
11	ClOrdID	Y	String20	User ID of the order cancel command.
41	OrigClOrdID	Y	String20	User ID of the order to be canceled/replaced.
39	OrdStatus	Y	char	Order current status.
434	CxlRejResponseTo	Y	char	Specifies the request type which caused the 'Order Cancel Reject' message.
102	CxlRejReason	N	Int32	Order cancel/replacing rejection reason.
58	Text	N	String255	Message text.
<Trailer' group>		Y		

4.1.8. Order Mass Cancel Report

Order mass cancel report (successful/ unsuccessful).

Tag	Field name	Mandatory	Type	Details
<Header' group>		Y		Message type 'r'.
11	ClOrdID	Y*	String20	User ID of the order mass cancellation request.
37	OrderID	Y	String64	Unique ID generated by FIX Gate for every outgoing 'Order Mass Cancel Report' message.
530	MassCancelRequestType	Y	char	Mass cancel request type.
531	MassCancelResponse	Y	char	Mass cancel response by the trading system.
532	MassCancelRejectReason	C	Int32	Mass cancel rejection reason. Mandatory if 'MassCancelResponse'=0 (Reject).
533	TotalAffectedOrders	N	Int32	Number of orders cancelled.
58	Text	N	String255	Message text.
<Trailer' group>		Y		

4.2. Trading interaction scenarios

4.2.1. Adding order

Most of the orders are accepted by the trading system without any additional condition.

Step	Client	FIX Gate	Details
1	NewOrderSingle		The client sends a new order into the trading system.
2		ExecutionReport , ExecType=0(New), OrdStatus=0(New)	The system sends the order adding confirmation.
3...n		ExecutionReport , ExecType=F(Trade), OrdStatus=2(Filled) OrdStatus=1(PartiallyFilled)	The system returns the trade parameters and its status (fully/partially filled). Therefore, the 'ExecutionReport' message containing the order status can be sent several times.

Also, the order can be rejected by the system.

Step	Client	FIX Gate	Details
1	NewOrderSingle		The client sends a new order to the trading system.
2		ExecutionReport , ExecType=8(Rejected), OrdStatus=8(Rejected)	The system rejects the order adding the reason for rejection.

An order containing TimeInForce=3(IOC) can be completely matched, cancelled or partly matched with its leftover part cancelled.

Step	Client	FIX Gate	Details
1	NewOrderSingle		The client sends a new order into the trading system.
2		ExecutionReport , ExecType=0(New), OrdStatus=0(New)	The system sends the order adding confirmation.
3		ExecutionReport , ExecType=F(Trade), OrdStatus=2(Filled)	The message transmits the trade parameters and indicates that the order has been completely matched.

Step	Client	FIX Gate	Details
1	NewOrderSingle		The client sends a new order into the trading system.
2		ExecutionReport , ExecType=0(New), OrdStatus=0(New)	The system sends the order adding confirmation.
3		ExecutionReport , ExecType=F(Trade), OrdStatus=1(PartiallyFilled)	The message transmits the trade parameters and indicates that the order is partially matched.
4		ExecutionReport , ExecType=4(Canceled), OrdStatus=4(Canceled)	The message indicates that the order's leftover part has been cancelled.

Step	Client	FIX Gate	Details
1	NewOrderSingle		The client sends a new order into the trading system.
2		ExecutionReport , ExecType=0(New), OrdStatus=0(New)	The system sends the order adding confirmation.
3		ExecutionReport , ExecType=4(Canceled), OrdStatus=4(Canceled)	The message indicates that the order' has been cancelled.

4.2.2. Cancelling order

A successfully placed order can be cancelled by client by using either its 'OrderID' or 'OrigClOrdID' (an ID specified by the client).

Step	Client	FIX Gate	Details
1	NewOrderSingle		The client sends a new order into the trading system.
2		ExecutionReport , ExecType=0(New), OrdStatus=0(New)	The system sends the order adding confirmation.
3...n		ExecutionReport , ExecType=F(Trade), OrdStatus=1(PartiallyFilled)	The order can be partially filled. Therefore, the 'ExecutionReport' message containing the order status can be sent several times.
n+1	OrderCancelRequest		The client sends the order cancel request.
n+2		ExecutionReport , ExecType=6(PendingCancel), OrdStatus=6(PendingCancel)	The system confirms receiving of the order cancel request.
n+3		ExecutionReport , ExecType=4(Canceled), OrdStatus=4(Canceled)	The system returns the order cancel confirmation.

If the order has been already cancelled or filled, the cancel request will be rejected by the system.

Step	Client	FIX Gate	Details
1	NewOrderSingle		The client sends a new order to the trading system.
2		ExecutionReport , ExecType=0(New),	The system sends the order adding confirmation.
3	OrderCancelRequest		The client sends the order cancel request.
4		ExecutionReport , ExecType=F(Trade), OrdStatus=2(Filled)	The order has been fully filled.

Step	Client	FIX Gate	Details
5		OrderCancelReject , CxlRejReason=0(Too late to cancel), OrdStatus=2(Filled)	The system rejects order cancel request adding the reason for rejection along with the order current status report.

If the selected order is already being added, cancelled or replaced, the cancellation request will be also rejected by the system.

Step	Client	FIX Gate	Details
1	NewOrderSingle		The client sends a new order to the trading system.
2	OrderCancelRequest		The client sends the order cancel request.
3		OrderCancelReject , CxlRejReason=3(Order already in PendingCancel or PendingReplace status), OrdStatus=A(PendingNew)	The system rejects order cancel request adding the reason for rejection along with the order current status report.

Step	Client	FIX Gate	Details
1	NewOrderSingle		The client sends a new order to the trading system.
2		ExecutionReport , ExecType=0(New), OrdStatus=0(New)	The system confirms receiving of the order.
3	OrderCancelRequest		The client sends the order cancel request.
4		OrderCancelReject , CxlRejReason=3(Order already in PendingCancel or PendingReplace status), OrdStatus=6(PendingCancel) or OrdStatus=E(PendingReplace)	The system rejects order cancel request adding the reason for rejection along with the order current status report.

4.2.3. Order mass cancel

The 'Execution Report' message is sent for every order canceled due to the mass cancel request('Order Cancel Reject' if the cancel request was rejected). After that, the system sends the 'Order Mass Cancel Report' message containing the mass cancel report .

Step	Client	FIX Gate	Details
1	OrderMassCancelRequest		The client sends the mass cancel request.
2		ExecutionReport , ExecType=4(Canceled), OrdStatus=4(Canceled)	Order cancel confirmation message.
3		ExecutionReport , ExecType=4(Canceled), OrdStatus=4(Canceled)	Order cancel confirmation message.
4		ExecutionReport , ExecType=4(Canceled), OrdStatus=4(Canceled)	Order cancel confirmation message.
5		OrderMassCancelReport	Order mass cancel report message.

4.2.4. Request to NCC for collateral sufficiency verification of Brokerage Firm

In order to avoid position insufficiency, a Clearing Member is able to cancel orders added by a Trading Member. To do this, the Clearing Member may submit request 'Order Mass Cancel Request' with 'MassCancelRequestType=Z' to NCC for collateral verification of Brokerage Firms under the Trading Members, that are served by the Clearing Member; if a Brokerage Firm experiences negative free cash limit, all active orders on all client accounts served by the given Brokerage Firm will be cancelled.

Each order cancelled due to the request will result in message 'Execution Report' sent for each cancelled order. Also, message 'Order Mass Cancel Report' with 'MassCancelRequestType=Z' will be sent to the client side, containing the total number of orders cancelled. If the request was rejected, the same message will be sent to the client side with 'MassCancelRejectReason' containing the reason for rejection.

Step	Client	FIX Gate	Details
1	OrderMassCancelRequest , MassCancelRequestType=Z		Client submits request to NCC for collateral verification of Brokerage Firms.
2		ExecutionReport , ExecType=4(Canceled), OrdStatus=4(Canceled)	Order cancelled.

Step	Client	FIX Gate	Details
3		ExecutionReport , ExecType=4(Canceled), OrdStatus=4(Canceled)	Order cancelled.
4		ExecutionReport , ExecType=4(Canceled), OrdStatus=4(Canceled)	Order cancelled.
5		OrderMassCancelReport , MassCancelRequestType=Z, TotalAffectedOrders=3	Report on order mass cancellation (cancellation details).

4.2.5. Replacing

Clients can modify the order price/volume values by using either 'OrderID' or 'OrigClOrdID' (an ID specified by the client).

Step	Client	FIX Gate	Details
1	NewOrderSingle		The client sends a new order to the trading system.
2		ExecutionReport , ExecType=0(New), OrdStatus=0(New)	The system sends the order adding confirmation.
3...n		ExecutionReport , ExecType=F(Trade), OrdStatus=1(PartiallyFilled)	The order can be partially filled. Therefore, the 'ExecutionReport' message can be sent several times.
n+1	OrderCancel/ReplaceRequest		The client sends order replacement request.
n+2		ExecutionReport , ExecType=E(PendingReplace), OrdStatus=E(PendingReplace)	The system confirms receiving of the order replacement request.
n+3		ExecutionReport , ExecType=5(Replaced), OrdStatus=0(New) or 1(Partially-Filled)	The system sends the order replacement confirmation message.

If the order has been already cancelled or filled, the replacement request will be rejected by the system.

Step	Client	FIX Gate	Details
1	NewOrderSingle		The client sends a new order to the trading system.
2		ExecutionReport , ExecType=0(New),	The system sends the order adding confirmation.
3	OrderCancel/ReplaceRequest		The client sends order replacement request.
4		ExecutionReport , ExecType=F(Trade), OrdStatus=2(Filled)	The order has been fully filled.
5		OrderCancelReject , CxlRejReason=0(Too late to cancel), OrdStatus=2(Filled)	The system rejects order replacement request adding the reason for rejection along with the order current status report.

If the selected order is already being added, cancelled or replaced, the cancellation request will be also rejected by the system.

Step	Client	FIX Gate	Details
1	NewOrderSingle		The client sends a new order to the trading system.
2	OrderCancel/ReplaceRequest		The client sends order replacement request.
3		OrderCancelReject , CxlRejReason=3(Order already in PendingCancel or PendingReplace status), OrdStatus=A(PendingNew)	The system rejects order replacement request adding the reason for rejection along with the order current status report.

Step	Client	FIX Gate	Details
1	NewOrderSingle		The client sends a new order to the trading system.

Step	Client	FIX Gate	Details
2		ExecutionReport , ExecType=0(New), OrdStatus=0(New)	The system sends the order adding confirmation.
3	OrderCancel/ReplaceRequest		The client sends order replacement request.
4		OrderCancelReject , CxlRejReason=3(Order already in PendingCancel or PendingReplace Status), OrdStatus=6(PendingCancel) or OrdStatus=E(PendingReplace)	The system rejects order replacement request adding the reason for rejection along with the order current status report.

If a message **OrderCancel/ReplaceRequest** sent from the client side contains a value in field OrderQty which is equal or less than that of the field CumQty (the total number of trades matched), then the message **OrderCancel/ReplaceRequest** indicates the client side's intention to cancel the leftover part of the order.

Step	Client	FIX Gate	Details
1	NewOrderSingle		The client sends a new order to the trading system.
2		ExecutionReport , ExecType=0(New), OrdStatus=0(New)	The system sends the order adding confirmation.
3	OrderCancel/ReplaceRequest		The client sends order replacement request.
4		ExecutionReport , ExecType=5(Replaced), OrdStatus=2(Filled)	The system confirms order cancellation. OrdStatus=2(Filled) sends out in accordance with specifications provided in sections C.3.b and C.3.c of vol. 4 of the FIX 4.4 protocol specification guidelines.

4.2.6. Order current status request

Clients can request order current status report by using its 'ClOrdID'.

Step	Client	FIX Gate	Details
1	OrderStatusRequest		The client sends an order current status request .
2		ExecutionReport , ExecType=I(OrderStatus)	The system sends the order current status report.
2		ExecutionReport , ExecType=I(OrderStatus), OrdStatus=8(Rejected), OrdRejReason=5(UnknownOrder)	The system reply if the order is not found.

4.2.7. Relisting multi-days orders

Multi-day orders are the orders with a fixed expiration date. Such orders will be automatically relisted for the next trading session, with a new number, and with a reference to the client order ID (field 'ClOrdID') taken from the last trading session. Upon relisting an order, the trading system verifies the instrument and the client availability, and the funds sufficiency. In case of a negative result, the order will be rejected.

The multi-day orders are relisted during the Evening clearing session. After an order has been successfully relisted, the clients will receive the messages 'Execution Report', 'ExecType=0(New)', 'OrdStatus=0(New)' (adding a new order). If an order has been rejected by the system, the clients will receive the messages 'Execution Report', 'ExecType=8(Rejected)', 'OrdStatus=8(Rejected)'.

On the expiration date, a multi-day order will be automatically cancelled after closing the Evening trading session.

4.2.8. Execution Reports broadcast for the DAY type orders

After the main trading session ends, the 'DAY' type orders (expiring upon the end of trading session) are cancelled. The 'Execution Report' are sent to clients, where 'ExecType'=C(Expired), 'OrdStatus'=C(Expired).

4.2.9. Managing iceberg orders

An Iceberg order is a variation of a quote order. It allows to hide a part of its volume from the market to minimize the large order impact on the market price. Iceberg orders appear in the order-book in portions. The next portion "pops up" only after the visible part of the order will be executed. This process can be repeated until the whole hidden part is used.

Standard FIX protocol messages are used to manage iceberg orders:

- New Order Single - Add new iceberg order.

- Order Cancel Request - Cancel iceberg order.
- Order Cancel/Replace Request - Change of iceberg order price (volume change is not available).

4.2.9.1. Adding iceberg order

When adding an iceberg order, it additionally indicates the parameters for calculating the size of the pop-up (visible) part. The pop-up part consists of a constant part and a randomly calculated addition. To do this, a 'DisplayInstruction' group of fields was added to the standard 'New Order Single' message, including the following fields:

- DisplayQty - The number of instrument units in the constant component of the volume of the pop-up (visible part) iceberg order.
- DisplayVarianceQty - The value of the random deviation of the volume of the pop-up part of the iceberg order.
- DisplayMethod - Type of pop up (= 3 - Random).

It is precisely by the presence of the 'DisplayInstruction' group in the client message that FIX Gate determines that the order is an iceberg.

The 'OrderQty' field (Tag = 38) is used to set the volume of the entire iceberg order.

As a result of adding an iceberg order, a 'Execution Report (New, New)' message is sent to the client. This message contains 'DisplayInstruction' group of fields and 'MDEntryID' field (Tag=278), in which ID of visible part of iceberg order is broadcast. ID of the entire iceberg order is broadcast in 'OrderID' field (Tag=37).

If the visible part of the iceberg order is executed to the trade, the client receives 'Execution Report (Trade, Filled)' message. "Pop up" of the new visible part is not broadcast.

Step	Client	FIX Gate	Details
1	NewOrderSingle		The client sends a new iceberg order into the trading system.
2		ExecutionReport, ExecType=0(New), OrdStatus=0(New), DisplayQty, DisplayVarianceQty, DisplayMethod, MDEntryID	The system sends the order adding confirmation - Execution Report message, containing 'DisplayInstruction' group of fields and 'MDEntryID' field.
3...n		ExecutionReport, ExecType=F(Trade), OrdStatus=2(Filled) or OrdStatus=1(PartiallyFilled)	The system returns the trade parameters and its status (fully/ partially filled). Therefore, the 'ExecutionReport' message containing 'PartiallyFilled' order status can be sent several times.

Also, the iceberg order can be rejected by the system.

Step	Client	FIX Gate	Details
1	NewOrderSingle		The client sends a new iceberg order into the trading system.
2		ExecutionReport, ExecType=8(Rejected), OrdStatus=8(Rejected)	The system rejects the order adding the reason for rejection.

4.2.9.2. Cancelling iceberg order

A successfully placed iceberg order can be cancelled by client by using either its 'OrderID' or 'OrigClOrdID' (an ID specified by the client).

Step	Client	FIX Gate	Details
1	NewOrderSingle		The client sends a new iceberg order into the trading system.
2		ExecutionReport, ExecType=0(New), OrdStatus=0(New)	The system sends the order adding confirmation.
3...n		ExecutionReport, ExecType=F(Trade), OrdStatus=1(PartiallyFilled)	The iceberg order can be partially filled. Therefore, the 'ExecutionReport' message containing the order status can be sent several times.
n+1	OrderCancelRequest		The client sends the order cancel request.
n+2		ExecutionReport, ExecType=6(PendingCancel), OrdStatus=6(PendingCancel)	The system confirms receiving of the order cancel request.
n+3		ExecutionReport, ExecType=4(Canceled), OrdStatus=4(Canceled)	The system returns the iceberg order cancel confirmation.

If the iceberg order has been already cancelled or filled, the cancel request will be rejected by the system.

Step	Client	FIX Gate	Details
1	NewOrderSingle		The client sends a new iceberg order into the trading system.
2		ExecutionReport , ExecType=0(New), OrdStatus=0(New)	The system sends the order adding confirmation.
3	OrderCancelRequest		The client sends the iceberg order cancel request.
4		ExecutionReport , ExecType=F(Trade), OrdStatus=2(Filled)	The order has been fully filled.
5		OrderCancelReject , CxlRejReason=0(Too late to cancel), OrdStatus=2(Filled)	The system rejects order cancel request adding the reason for rejection along with the order current status report.

4.2.9.3. Replacing iceberg order

Clients can modify the iceberg order price value by using either 'OrderID' or 'OrigClOrdID' (an ID specified by the client). The iceberg order volume is not available for change.

Step	Client	FIX Gate	Details
1	NewOrderSingle		The client sends a new iceberg order into the trading system.
2		ExecutionReport , ExecType=0(New), OrdStatus=0(New)	The system sends the order adding confirmation.
3...n		ExecutionReport , ExecType=F(Trade), OrdStatus=1(PartiallyFilled)	The iceberg order can be partially filled. Therefore, the 'ExecutionReport' message can be sent several times.
n+1	OrderCancel/ReplaceRequest		The client sends iceberg order replacement request.
n+2		ExecutionReport , ExecType=E(PendingReplace), OrdStatus=E(PendingReplace)	The system confirms receiving of the order replacement request.
n+3		ExecutionReport , ExecType=5(Replaced), OrdStatus=0(New) or 1(Partially-Filled)	The system sends the order replacement confirmation message.

If the iceberg order has been already cancelled or filled, the replacement request will be rejected by the system.

Step	Client	FIX Gate	Details
1	NewOrderSingle		The client sends a new iceberg order into the trading system.
2		ExecutionReport , ExecType=0(New), OrdStatus=0(New)	The system sends the order adding confirmation.
3	OrderCancel/ReplaceRequest		The client sends iceberg order replacement request.
4		ExecutionReport , ExecType=F(Trade), OrdStatus=2(Filled)	The order has been fully filled.
5		OrderCancelReject , CxlRejReason=0(Too late to cancel), OrdStatus=2(Filled)	The system rejects order replacement request adding the reason for rejection along with the order current status report.

If 'OrderCancel/ReplaceRequest' message sent from the client side contains any value in 'OrderQty' field, then FixGate rejects the 'Order Cancel / Replace Request', and 'Reject' message is sent to the user.

Step	Client	FIX Gate	Details
1	NewOrderSingle		The client sends a new iceberg order into the trading system.
2		ExecutionReport , ExecType=0(New), OrdStatus=0(New)	The system sends the order adding confirmation.
3	OrderCancel/ReplaceRequest		The client sends iceberg order replacement request.

Step	Client	FIX Gate	Details
4		Reject , SessionRejectReason=5(Value is incorrect (out of range) for this tag), Text="Change of OrderQty of the iceberg order is not supported"	The system rejects iceberg order replacement request.

4.2.10. Checking of ClOrdID duplication

If there is a duplication of 'ClOrdID' when adding, replacing or cancelling a regular or iceberg order, FixGate sends an 'Execution Report (Rejected, Rejected)' message to the client and fills the 'OrderQty', 'LeavesQty' and 'CumQty' fields with the value "0".

4.2.11. Adding BOC (Book-or-cancel) order

In the simplest case, an order with TimeInForce=z(BOC) is accepted by the system.

Step	Client	FIX Gate	Details
1	NewOrderSingle		The client sends a new order into the trading system.
2		ExecutionReport , ExecType=0(New), OrdStatus=0(New)	The system sends the order adding confirmation.

Also, the order can be rejected by the system.

Step	Client	FIX Gate	Details
1	NewOrderSingle		The client sends a new order to the trading system.
2		ExecutionReport , ExecType=8(Rejected), OrdStatus=8(Rejected)	The system rejects the order adding the reason for rejection.

A BOC order can be standard (one-session) or multi-day. For standard order, 'TimeInForce'=z and the 'Expiry Date' field is missing in the **New Order Single** message. If the standard orders were not match during the trading session, they are cancelled after the end of the main session. For such orders, the client receives a message Execution Report, ExecType=C(Expired), OrdStatus=C(Expired).

For multi-day order, 'TimeInForce'=z and the 'Expiry Date' field is filled in the **New Order Single** message. Such orders are automatically re-placed in the next trading session, with a new number and a link to the custom ID of the order (the 'ClOrdID' field) from the previous trading session. Multi-day orders are re-placed in the evening clearing. For such orders, the client receives a message Execution Report, ExecType=0(New), OrdStatus=0(New) (add new order). The system checks availability of the instrument, the client, and the sufficiency of funds for re-placed order. If the verification result is unsatisfactory, the order is rejected. For rejected orders, the client receives a message Execution Report, ExecType=8(Rejected), OrdStatus=8(Rejected).

4.3. Abnormal activity control

There is the abnormal activity control system within FIX Gate, which disallows users to send more messages (within the same fix-session) than it is specified in the connection request. Now, the limitations are 30, 60, 90, etc. (but not more than 300) trading operations per second. Trade operations are 'New Order Single', 'Order Cancel Request', 'Order Cancel/Replace Request', 'Mass Cancel Request' messages. For all other operations (excluding the session layer messages) the limitation is 500 operations per second.

If the sending limit is exceeded, the client receives the 'Reject' message containing the rejection notification.

Tag	Field name	Mandatory	Type	Details
<'Header' group>		Y		Message type '3'.
45	RefSeqNum	Y	SeqNum	Rejected message number.
372	RefMsgType	N	String10	Rejected message type.
373	SessionRejectReason	N	Int32	=7100 (Flood control)
58	Text	N	String255	Reason for rejection. The error text is formatted as: "penalty_remain=%d;queue_size=%d;message=%s", where <ul style="list-style-type: none"> penalty_remain – time interval in milliseconds before sending the next sending attempt. queue_size – number of messages from a single user; message – message text.
<'Trailer' group>		Y		

Every time a new message received, the number of messages for the last second is calculated anew. Therefore, if a client repeatedly sends more requests per second with the frequency greater than it is allowed, then his messages won't be processed at all.

4.4. Error processing

In case of any error in message delivery and processing (on the system layer), the client ID can receive either a message sending error or a reply 'system error' message.

Tag	Field name	Mandatory	Type	Details
<Header' group>		Y		
45	RefSeqNum	Y	SeqNum	Rejected message number.
372	RefMsgType	N	String10	Rejected message type.
373	SessionRejectReason	N	Int32	=7101 (System error)
58	Text	N	String255	Reason for rejection. Text is formatted as: 'code=%d;message=%s'.
<Trailer' group>		Y		

In case of a failure in communication between the gateway and the trading system, FIX Gate stops processing of client orders and sends along with sending them the 'Business Message Reject' messages in reply.

Tag	Field name	Mandatory	Type	Details
<Header' group>		Y		Message type 'j'.
45	RefSeqNum	Y	SeqNum	Rejected message number.
372	RefMsgType	N	String10	Rejected message type.
380	BusinessRejectReason	N	Int32	=4 (Application not available)
58	Text	N	String255	'Application not available'
<Trailer' group>		Y		

If the 'Logon' or any other trading message from client contains an incorrect value in the 'SenderCompID' or 'TargetCompID' fields, then FIX Gate sends a 'Logout' type message in respond and terminates the session.

Tag	Field name	Mandatory	Type	Details
<Header' group>		Y		Message type '5'.
58	Text	N	String255	'FIX protocol violation'
<Trailer' group>		Y		

4.5. Automatic order cancellation option (Cancel On Disconnect)

The trading system includes a client connection control feature ('Cancel On Disconnect' or 'COD'). This option allows to automatically cancel some client's orders (anonymous orders without specified expiration time) on disconnect.

To enable/disable the 'COD' option, a trading participant should apply the appropriate request to the Client Center. The 'COD' option will be enabled for the ID (p2login) belonging to the trading participant.

When an ID connects to the trading system having the 'Cancel On Disconnect' option enabled, the trading system starts to monitor its connection activity in the 'COD' mode.

The connection activity monitoring algorithm is as following:

- If the 'COD' mode is enabled for the client, the system monitors the client's activity on transaction level via messages sent by the client side.
- The client side specifies a 'HeartBtInt' value in the message 'Logon'. Therefore, if the client side has not sent any messages within the time interval from $2 * \text{HeartBtInt}$ up to $3 * \text{HeartBtInt}$, or the client side has lost its connection to the FIX Gate, all their active orders will be cancelled automatically.

Order cancellation conditions are as following:

- The FIX-session was closed by client via 'Logout' command. Orders will be cancelled on disconnect.
- FIX user has lost connection to FIX-server or become unable to operate properly due to an error. Once the connection loss has been detected, all orders will be cancelled.
- FIX user has been disconnected due to FIX heartbeats timeout (specified at FIX Logon). Orders will be cancelled on disconnect.

- There may occur an issue when FIX server or an API clients access server connected to the Trading System via gateway becomes unable to operate properly: it loses connections to a client but does not inform the Trading System about it. The Trading System cannot handle such issues; if occurs, the issue should be resolved on the client side.

All orders added by clients with COD-mode enabled are cancelled when the evening trading session ends and when the Trading System has been restored after a failure.

Every time the 'COD' cancels an order, the Trading System sends message 'Execution Report' to the client, where ExecType=4(Canceled), OrdStatus=4(Canceled), ExecRestatementReason=100 (Cancelled via 'Cancel On Disconnect').

5. Drop Copy service

Drop Copy is a service which allows clients to obtain order status messages along with trading messages themselves for Clearing Firms, Brokerage Firms or for specified clients accounts passed either through FIX Gate, Plaza-2 Gate, or Wire Gate (TWIME).

The service does not translate the status 'Pending' and reports for rejected trades on all layers excluding the clearing layer.

Each **Drop Copy** client is provided with the separate FIX login, which is not valid for making trading operations.

There are two ways of translation are available according to the client's settings:

- translation of trades
- translation of order status and trades

5.1. Session layer

The **Drop Copy** service session layer is equal to that of the standard FIX session, i. e. clients are connected to and authenticated by the **Drop Copy** server using the standard methods, with possibility to exchange the 'Heartbeat' messages and make the 'Resend Request' requests.

5.2. Trades broadcast

Trades are broadcasted using the 'Execution Report' messages.

5.2.1. Common instruments trades

Tag	Field name	Mandatory	Type	Details
<'Header' group>		Y		Message type '8'.
11	ClOrdID	N	String20	Order user's ID
583	ClOrdLinkID	N	Int32	External ID
150	ExecType	Y	char	=F(Trade)
39	OrdStatus	Y	char	=2(Filled) or =1(PartiallyFilled)
17	ExecID	Y	String64	The unique ID generated by FIX Gate for every outgoing 'Execution Report' message.
37	OrderID	Y	Int64	Order ID in SPECTRA.
198	SecondaryOrderID	N	String64	Order secondary ID.
336	TradingSessionID	N	Int32	Trading session ID.
1	Account	N	String7	Client account ID.
60	TransactTime	N	UTCTimestamp	Order status change time. Date format: YYYYM-MDD-HH:MM:SS.ssssssss.
55	Symbol	Y	String25	Instrument symbol ID.
54	Side	Y	char	Operation direction.
44	Price	C	Price16.5	=0
38	OrderQty	N	Int64	=0
151	LeavesQty	Y	Int64	=0
14	CumQty	Y	Int64	=0
32	LastQty	C	Int64	Instrument quantity in trade.
<'Parties' group>		N		Used for the OTC order reports.
527	SecondaryExecID	N	Int64	Trade ID.
31	LastPx	C	Price16.5	Trade price.
136	NoMiscFees*	N	NumInGroup	=1'
=> 137	MiscFeeAmt*	Y	Price16.5	Trade fee.
=> 139	MiscFeeType*	Y	Int32	=4' (Exchange Fees)
377	SolicitedFlag	N	Boolean	=N' (Was not solicited)
797	CopyMsgIndicator	N	Boolean	=Y'
20008	Flags	N	Int64	Operation flags.

Tag	Field name	Mandatory	Type	Details
20035	NccRequest	Y	Boolean	The trade results from request to NCC (Y/N).
278	MDEntryID	C	Int64	The identifier of the pop-up part on the Iceberg order, assigned by the trading system. ID corresponds to the 'MDEntryID' field in the anonymous stream of orders and trades. It is broadcast for iceberg orders.
20051	Flags2	N	Int64	Operation flags extension (in addition to the 'Flags' field).
<Trailer' group>		Y		

5.2.2. Multi-leg instruments trades

Tag	Field name	Mandatory	Type	Details
<'Header' group>		Y		Message type '8'.
11	ClOrdID	N	String20	Order user's ID
583	ClOrdLinkID	N	Int32	External ID
150	ExecType	Y	char	=F(Trade)
39	OrdStatus	Y	char	=2(Filled) or =1(PartiallyFilled)
17	ExecID	Y	String64	The unique ID generated by FIX Gate for every outgoing 'Execution Report' message.
37	OrderID	Y	Int64	Order ID in SPECTRA.
198	SecondaryOrderID	N	String64	Secondary order ID.
336	TradingSessionID	N	Int32	Trading session ID
1	Account	N	String7	Client account ID.
60	TransactTime	N	UTCTimestamp	Order status change time. Date format: YYYYM-MDD-HH:MM:SS.ssssssss.
55	Symbol	Y	String25	Instrument symbol ID.
54	Side	Y	char	Operation direction.
44	Price	C	Price16.5	=0
38	OrderQty	N	Int64	=0
151	LeavesQty	Y	Int64	=0
14	CumQty	Y	Int64	=0
32	LastQty	C	Int64	Instrument quantity in trade.
<'Parties' group>		N		Used for the OTC order reports.
527	SecondaryExecID	N	Int64	Trade ID.
31	LastPx	C	Price16.5	Trade price
136	NoMiscFees*	N	NumInGroup	= '1'
=> 137	MiscFeeAmt*	Y	Price16.5	Trade fee.
=> 139	MiscFeeType*	Y	Int32	= '4' (Exchange Fees)
555	NoLegs	N	NumInGroup	'2'
=> 600	LegSymbol	Y	String25	Symbol ID of a calendar spread futures.
=> 623	LegRatioQty	N	Int32	Quantity ratio
=> 624	LegSide	N	char	Direction.
=> 637	LegLastPrice	N	Price16.5	All legs price
377	SolicitedFlag	N	Boolean	= 'N' (Was not solicited)
797	CopyMsgIndicator	N	Boolean	= 'Y'
20008	Flags	N	Int64	Operation flags.
20035	NccRequest	Y	Boolean	The trade results from request to NCC (Y/N).
278	MDEntryID	C	Int64	The identifier of the pop-up part on the Iceberg order, assigned by the trading system. ID corresponds to the 'MDEntryID' field in the anonymous stream of orders and trades. It is broadcast for iceberg orders.
20051	Flags2	N	Int64	Operation flags extension (in addition to the 'Flags' field).
<Trailer' group>		Y		

5.3. Translation of order reports and trades

Order reports and trades are translated by sending messages 'Execution Report' to clients.

5.3.1. Adding order

Tag	Field name	Mandatory	Type	Details
<Header' group>		Y		Message type '8'.
11	ClOrdID	N	String20	Client's order ID.
583	ClOrdLinkId	N	Int32	External ID
150	ExecType	Y	char	=0(New)
39	OrdStatus	Y	char	=0(New)
17	ExecID	Y	String64	The unique ID generated by FIX Gate for every outgoing 'Execution Report' message.
37	OrderID	Y	Int64	Order ID within SPECTRA. The prefix 'DC:F:' stays for futures or multi-leg instruments. The prefix 'DC:O:' stays for option contracts.
198	SecondaryOrderID	N	String64	Additional order ID. The prefix 'F:' stays for futures or multi-leg instruments. The prefix 'O:' stays for option contracts.
336	TradingSessionID	N	Int32	Trading session ID.
1	Account	N	String7	Client account code.
60	TransactTime	N	UTCTimestamp	Order status change time. Date format: YYYYMM-MDD-HH:MM:SS.ssssssss.
55	Symbol	Y	String25	Instrument symbol ID.
54	Side	Y	char	Operation direction.
44	Price	C	Price16.5	Price.
38	OrderQty	Y*	Int64	Instrument units quantity (for iceberg order - instrument units quantity for the entire order).
151	LeavesQty	Y	Int64	Order amount left to be exercised.
14	CumQty	Y	Int64	Total quantity of instruments bought or sold by the order.
6	AvgPx	Y	Price16.5	=0
526	SecondaryClOrdID	N	String20	Comment.
<Parties' group>		N		Used for the OTC order reports.
40	OrdType	Y	char	=Limit
20008	Flags	N	Int64	Operation flags.
20035	NccRequest	Y	Boolean	Request to NCC for performing trades with Trading Member (Y/N).
1138	DisplayQty	C	Int64	The number of instrument units in the constant component of the volume of the pop-up (visible part) iceberg order. It is broadcast for iceberg orders.
20036	DisplayVarianceQty	C	Int64	The value of the random deviation of the volume of the pop-up part of the iceberg order. It is broadcast for iceberg orders.
1084	DisplayMethod	C	char	= 3 - Random (randomize value). It is broadcast for iceberg orders.
278	MDEntryID	C	Int64	The identifier of the pop-up part on the Iceberg order, assigned by the trading system. ID corresponds to the 'MDEntryID' field in the anonymous stream of orders and trades. It is broadcast for iceberg orders.
20038	FirstOrderID	N	Int64	ID number of the first order. The prefix 'DC:F:' stays for futures or multi-leg instruments. The prefix 'DC:O:' stays for option contracts.
20051	Flags2	N	Int64	Operation flags extension (in addition to the 'Flags' field).
<Trailer' group>		Y		

5.3.2. Deleting order

Tag	Field name	Mandatory	Type	Details
<Header' group>		Y		Order type '8'.
11	ClOrdID	N	String20	Client's order ID.

Tag	Field name	Mandatory	Type	Details
583	ClOrdLinkID	N	Int32	External ID
41	OrigClOrdID	N	String20	Client's ID of canceled/replaced order.
150	ExecType	Y	char	=4(Canceled)
39	OrdStatus	Y	char	=4(Canceled)
17	ExecID	Y	String64	The unique ID generated by FIX Gate for every outgoing 'Execution Report' message.
37	OrderID	Y	Int64	Order ID within SPECTRA. The prefix 'DC:F:' stays for futures or multi-leg instruments. The prefix 'DC:O:' stays for option contracts.
198	SecondaryOrderID	N	String64	Additional order ID. The prefix 'F:' stays for futures or multi-leg instruments. The prefix 'O:' stays for option contracts.
336	TradingSessionID	N	Int32	Trading session ID.
1	Account	N	String7	Client account code.
60	TransactTime	N	UTCTimestamp	Order status change time. Date format: YYYYM-MDD-HH:MM:SS.ssssssss.
55	Symbol	Y	String25	Instrument symbol ID.
54	Side	Y	char	Operation direction.
44	Price	C	Price16.5	Price.
38	OrderQty	Y*	Int64	Instrument units quantity.
151	LeavesQty	Y	Int64	=0
14	CumQty	Y	Int64	Total quantity of instruments bought or sold by the order.
6	AvgPx	Y	Price16.5	=0
526	SecondaryClOrdID	N	String20	Comment.
<'Parties' group>		N		Used for the OTC order reports.
40	OrdType	Y	char	=Limit
20008	Flags	N	Int64	Operation flags.
20035	NccRequest	Y	Boolean	Request to NCC for performing trades with Trading Member (Y/N).
278	MDEntryID	C	Int64	The identifier of the pop-up part on the Iceberg order, assigned by the trading system. ID corresponds to the 'MDEntryID' field in the anonymous stream of orders and trades. It is broadcast for iceberg orders.
20051	Flags2	N	Int64	Operation flags extension (in addition to the 'Flags' field).
<'Trailer' group>		Y		

5.3.3. Moving order

Tag	Field name	Mandatory	Type	Details
<'Header' group>		Y		Order type '8'.
11	ClOrdID	N	String20	Client's order ID.
583	ClOrdLinkID	N	Int32	External ID
41	OrigClOrdID	N	String20	Client's ID of canceled/replaced order.
150	ExecType	Y	char	=5(Replaced)
39	OrdStatus	Y	char	=0(New)
17	ExecID	Y	String64	The unique ID generated by FIX Gate for every outgoing 'Execution Report' message.
37	OrderID	Y	Int64	Order ID within SPECTRA. The prefix 'DC:F:' stays for futures or multi-leg instruments. The prefix 'DC:O:' stays for option contracts.
198	SecondaryOrderID	N	String64	Additional order ID. The prefix 'F:' stays for futures or multi-leg instruments. The prefix 'O:' stays for option contracts.
336	TradingSessionID	N	Int32	Trading session ID.
1	Account	N	String7	Client account code.
60	TransactTime	N	UTCTimestamp	Order status change time. Date format: YYYYM-MDD-HH:MM:SS.ssssssss.

Tag	Field name	Mandatory	Type	Details
55	Symbol	Y	String25	Instrument symbol ID.
54	Side	Y	char	Operation direction.
44	Price	C	Price16.5	Price.
38	OrderQty	Y*	Int64	Instrument units quantity (for iceberg order - instrument units quantity for the entire order).
151	LeavesQty	Y	Int64	Order quantity left to be exercised.
14	CumQty	Y	Int64	Total amount of instruments bought or sold by the order.
6	AvgPx	Y	Price16.5	=0
526	SecondaryClOrdID	N	String20	Comment.
<'Parties' group>		N		Used for the OTC order reports.
40	OrdType	Y	char	=Limit
20008	Flags	N	Int64	Operation flags.
20035	NccRequest	Y	Boolean	Request to NCC for performing trades with Trading Member (Y/N).
278	MDEntryID	C	Int64	The identifier of the pop-up part on the Iceberg order, assigned by the trading system. ID corresponds to the 'MDEntryID' field in the anonymous stream of orders and trades. It is broadcast for iceberg orders.
9945	OrigOrderID	Y	Int64	ID number of the remote order. The prefix 'DC:F:' stays for futures or multi-leg instruments. The prefix 'DC:O:' stays for option contracts.
20051	Flags2	N	Int64	Operation flags extension (in addition to the 'Flags' field).
<'Trailer' group>		Y		

5.3.4. Common instruments trades

Tag	Field name	Mandatory	Type	Details
<'Header' group>		Y		Order type '8'.
11	ClOrdID	N	String20	Client's order ID.
583	ClOrdLinkID	N	Int32	External ID
150	ExecType	Y	char	=F(Trade)
39	OrdStatus	Y	char	=2(Filled) or =1(PartiallyFilled)
17	ExecID	Y	String64	The unique ID generated by FIX Gate for every outgoing 'Execution Report' message.
37	OrderID	Y	Int64	Order ID within SPECTRA. The prefix 'DC:F:' stays for futures or multi-leg instruments. The prefix 'DC:O:' stays for option contracts.
198	SecondaryOrderID	N	String64	Additional order ID. The prefix 'F:' stays for futures or multi-leg instruments. The prefix 'O:' stays for option contracts.
336	TradingSessionID	N	Int32	Trading session ID.
1	Account	N	String7	Client account code.
60	TransactTime	N	UTCTimestamp	Order status change time. Date format: YYYYM-MDD-HH:MM:SS.ssssssss.
55	Symbol	Y	String25	Instrument symbol ID.
54	Side	Y	char	Operation direction.
44	Price	C	Price16.5	=0
38	OrderQty	Y*	Int64	Instrument units quantity.
151	LeavesQty	Y	Int64	Order amount left to be exercised.
14	CumQty	Y	Int64	Total quantity of instruments bought or sold by the order.
32	LastQty	C	Int64	Instrument quantity in order.
<'Parties' group>		N		Used for the OTC order reports.
527	SecondaryExecID	N	Int64	Trade ID.
31	LastPx	C	Price16.5	Matched trade price.
136	NoMiscFees*	N	NumInGroup	= '1'

Tag	Field name	Mandatory	Type	Details
=> 137	MiscFeeAmt*	Y	Price16.5	Trade fee.
=> 139	MiscFeeType*	Y	Int32	= '4' (Exchange Fees)
377	SolicitedFlag	N	Boolean	= 'N' (Was not solicited)
797	CopyMsgIndicator	N	Boolean	= 'Y'
526	SecondaryClOrdID	N	String20	Comment.
20008	Flags	N	Int64	Operation flags.
20035	NccRequest	Y	Boolean	The trade results from request to NCC (Y/N).
278	MDEntryID	C	Int64	The identifier of the pop-up part on the Iceberg order, assigned by the trading system. ID corresponds to the 'MDEntryID' field in the anonymous stream of orders and trades. It is broadcast for iceberg orders.
20051	Flags2	N	Int64	Operation flags extension (in addition to the 'Flags' field).
<'Trailer' group>		Y		

5.3.5. Multi-leg instruments trades

Tag	Field name	Mandatory	Type	Details
<'Header' group>		Y		Order type '8'.
11	ClOrdID	N	String20	Client's order ID.
583	ClOrdLinkId	N	Int32	External ID
150	ExecType	Y	char	= F(Trade)
39	OrdStatus	Y	char	= 2(Filled) or = 1(PartiallyFilled)
17	ExecID	Y	String64	The unique ID generated by FIX Gate for every outgoing 'Execution Report' message.
37	OrderID	Y	Int64	Order ID within SPECTRA. The prefix 'DC:F:' stays for futures or multi-leg instruments. The prefix 'DC:O:' stays for option contracts.
198	SecondaryOrderID	N	String64	Additional order ID. The prefix 'F:' stays for futures or multi-leg instruments. The prefix 'O:' stays for option contracts.
336	TradingSessionID	N	Int32	Trading session ID.
1	Account	N	String7	Client account code.
60	TransactTime	N	UTCTimestamp	Order status change time. Date format: YYYYM-MDD-HH:MM:SS.ssssssss.
55	Symbol	Y	String25	Instrument symbol ID.
54	Side	Y	char	Operation direction.
44	Price	C	Price16.5	= 0
38	OrderQty	Y*	Int64	Instrument units quantity.
151	LeavesQty	Y	Int64	Order amount left to be exercised.
14	CumQty	Y	Int64	Total quantity of instruments bought or sold by the order.
32	LastQty	C	Int64	Instrument quantity in order.
<'Parties' group>		N		Used for the OTC order reports.
527	SecondaryExecID	N	Int64	Trade ID.
31	LastPx	C	Price16.5	Matched trade price.
136	NoMiscFees*	N	NumInGroup	= '1'
=> 137	MiscFeeAmt*	Y	Price16.5	Trade fee.
=> 139	MiscFeeType*	Y	Int32	= '4' (Exchange Fees)
555	NoLegs	N	NumInGroup	'2'
=> 600	LegSymbol	Y	String25	Symbol ID of a calendar spread futures.
=> 623	LegRatioQty	N	Int32	Quantity ratio
=> 624	LegSide	N	char	Direction.
=> 637	LegLastPrice	N	Price16.5	All legs price
377	SolicitedFlag	N	Boolean	= 'N' (Was not solicited)

Tag	Field name	Mandatory	Type	Details
797	CopyMsgIndicator	N	Boolean	= 'Y'
526	SecondaryClOrdID	N	String20	Comment.
20008	Flags	N	Int64	Operation flags.
20035	NccRequest	Y	Boolean	The trade results from request to NCC (Y/N).
278	MDEntryID	C	Int64	The identifier of the pop-up part on the Iceberg order, assigned by the trading system. ID corresponds to the 'MDEntryID' field in the anonymous stream of orders and trades. It is broadcast for iceberg orders.
20051	Flags2	N	Int64	Operation flags extension (in addition to the 'Flags' field).
<'Trailer' group>		Y		